



US00D739642S

(12) **United States Design Patent**
Valencia

(10) **Patent No.:** **US D739,642 S**

(45) **Date of Patent:** **** Sep. 29, 2015**

(54) **BRASSIERE WITH RING FRONT CLOSURE**

(71) Applicant: **Maria E. Valencia**, Frisco, TX (US)

(72) Inventor: **Maria E. Valencia**, Frisco, TX (US)

(73) Assignee: **Fresh Comfort, Inc.**, Frisco, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/471,930**

(22) Filed: **Nov. 6, 2013**

(51) **LOC (10) Cl.** **02-01**

(52) **U.S. Cl.**

USPC **D2/709**; D2/707

(58) **Field of Classification Search**

USPC D2/700, 707-711, 731, 737, 796;
2/67-69, 86, 88, 109, 112, 113; 450/1,
450/5, 13-18, 23, 36, 39, 58, 59, 68, 71, 77,
450/79, 82, 85, 92; 128/890

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,672,770	A *	6/1928	Mountain	2/112
3,507,285	A *	4/1970	Williams	450/1
4,911,677	A *	3/1990	White	450/36
5,180,326	A *	1/1993	Williams	450/91
5,697,830	A *	12/1997	White	450/36
5,839,942	A *	11/1998	Miller	450/58
6,068,538	A *	5/2000	Alleyne	450/58
D594,631	S *	6/2009	Reinisch	D2/711
D646,460	S *	10/2011	Da Re	D2/706
D668,430	S *	10/2012	Martin	D2/708
D696,489	S *	12/2013	Dubiski	D2/847
2006/0025039	A1 *	2/2006	Barbour et al.	450/1
2009/0233522	A1 *	9/2009	Schlatmann	450/39
2011/0217903	A1 *	9/2011	Harlow	450/54

2011/0275277	A1 *	11/2011	Martins-Crawbuck et al.	450/77
2012/0021669	A1 *	1/2012	Johnstone	450/58
2012/0094575	A1 *	4/2012	Sokolowski et al.	450/92
2013/0066288	A1 *	3/2013	Lin	604/360
2013/0171911	A1 *	7/2013	Swendseid et al.	450/85
2014/0031775	A1 *	1/2014	Criss	604/355

OTHER PUBLICATIONS

Easy Open Bra, Embrace Collection [online]. Fresh Comfort [retrieved on Dec. 16, 2014] . Retrieved from the internet<http://freshcomfortinc.com/bras?product_id=64>.*

* cited by examiner

Primary Examiner — Barbara Fox

Assistant Examiner — Jennifer L Rempfer

(74) *Attorney, Agent, or Firm* — R. Johnston Law, PLLC

(57) **CLAIM**

The ornamental design for a brassiere with ring front closure, as shown and described.

DESCRIPTION

FIG. 1 is an interior view of a brassiere with ring front closure, showing the brassiere in an unlatched position;

FIG. 2 is an exterior view thereof;

FIG. 3 is an interior perspective view thereof;


FIG. 4 is an exterior view thereof;

FIG. 5 is a front view of the brassiere with ring front closure, showing the brassiere in a latched position in use; and,

FIG. 6 is perspective view thereof.

The broken lines in the figures form no part of the claimed design. Broken lines are used to show environment, namely the person wearing the brassiere, in FIGS. 5 and 6. Other lines appearing broken (although of a different spacing) are stitching.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6