

(12)

United States Design Patent

Vu et al.

(10)

Patent No.:

US D739,776 S

(45)

Date of Patent:

** Sep. 29, 2015

(54) ACTIVITY MONITORING DEVICE

(71) Applicant: **Misfit Wearables Corporation**, Salem, NH (US)

(72) Inventors: **Sonny X. Vu**, Salem, NH (US);
Matthew Ryan Montgomery, Palo Alto, CA (US); **Jessica Ng Sheung-Yan**, San Francisco, CA (US)

(73) Assignee: **Misfit Wearables Corporation**, Salem, NH (US)

(**) Term: 14 Years

(21) Appl. No.: 29/504,667

(22) Filed: Oct. 8, 2014

Related U.S. Application Data

(62) Division of application No. 29/461,314, filed on Jul. 22, 2013, now Pat. No. Des. 717,674.

(51) LOC (10) Cl. 10-04

(52) U.S. Cl. USPC D10/103; D10/126

(58) Field of Classification Search USPC D10/30–39, 65, 70, 97, 98, 102, 103, D10/122–124, 126, 128; D11/3, 79–81, 85; D14/138 R, 203.5, 203.6, 341, 344, D14/347; D24/167, 168 CPC A44C 5/00–5/16; G04B 37/00–37/228; G04B 45/0069; G04B 47/04; G04B 19/00–19/34; G04B 21/12; G04B 23/12; G04B 47/00–47/068; G01C 17/00; G01C 21/00–21/3697 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

3,744,236 A * 7/1973 Kishida 368/226
D246,104 S * 10/1977 Vong D14/192

D249,874 S * 10/1978 Lawrence D10/38
D349,864 S * 8/1994 Dunlap et al. D11/3
D364,099 S * 11/1995 Bergeron D10/33
D417,236 S * 11/1999 Burrus D19/28
6,208,593 B1 * 3/2001 Liao 368/232
D486,090 S * 2/2004 Thomson D10/123
7,134,784 B1 * 11/2006 Marin 368/295
7,180,830 B1 * 2/2007 Cotsen 368/80
D596,051 S * 7/2009 Mille D10/38
8,199,612 B2 * 6/2012 Jolidon 368/223
D664,456 S 7/2012 Trine et al.
D668,164 S 10/2012 Cowles et al.
D671,026 S * 11/2012 Thureau D10/126
8,400,883 B2 * 3/2013 Lin 368/228
8,477,567 B2 * 7/2013 Greubel et al. 368/220

(Continued)

OTHER PUBLICATIONS

Response to Election/Restriction mailed Jun. 23, 2014, issued for Design U.S. Appl. No. 29/461,314 (8 pages).

Primary Examiner — Antoine D Davis
(74) Attorney, Agent, or Firm — Cooley LLP


(57) CLAIM

The ornamental design for an activity monitoring device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view thereof;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a side view thereof;
FIG. 6 is a back view thereof; and,
FIG. 7 is a front view thereof.
The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D687,328 S

8/2013

Clymer et al.

D692,332 S

10/2013

Ni et al.

D695,145 S

*

12/2013

De Belder

D10/126

* cited by examiner

D700,080 S

2/2014

Broadbent et al.

D708,073 S

*

7/2014

Parmigiani

D10/38

D709,785 S

*

7/2014

Stegmann

D10/126




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7