



US00D740271S

(12) **United States Design Patent**  
**Kishita et al.**

(10) **Patent No.:** **US D740,271 S**  
(45) **Date of Patent:** **\*\* Oct. 6, 2015**

(54) **CASE FOR A PROCESS CONTROL INSTRUMENT**

(71) Applicant: **mitsubishi heavy industries, LTD.**, Tokyo (JP)

(72) Inventors: **Koichi Kishita**, Tokyo (JP); **Kazuyuki Misawa**, Tokyo (JP); **Kenichi Morimoto**, Tokyo (JP); **Yuichi Yakushiji**, Tokyo (JP); **Sumiko Takeda**, Tokyo (JP)

(73) Assignee: **MITSUBISHI HITACHI POWER SYSTEMS, LTD.**, Kanagawa (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/461,916**

(22) Filed: **Jul. 29, 2013**

(30) **Foreign Application Priority Data**

Jan. 30, 2013 (JP) ..... 2013-001737

(51) **LOC (10) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/300; D14/440**

(58) **Field of Classification Search**  
USPC ..... D14/485, 486, 487, 488, 489, 490, 491, D14/492, 493, 396, 394, 382, 349, 356, 383, D14/440, 300, 308, 301; 24/16 PB, 17 AB, 24/30.5 P, 30.5 S, 300, 301, 302, 339; 248/58, 60, 74.3, 309.1; D20/11; 705/35, 39; 174/50, 384  
CPC ..... G06F 1/187; G06F 1/184; G06F 1/183; G06F 1/181

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|              |      |         |                  |            |
|--------------|------|---------|------------------|------------|
| 6,114,622    | A *  | 9/2000  | Draeger          | 174/384    |
| 6,530,628    | B1 * | 3/2003  | Huang et al.     | 312/223.2  |
| D475,705     | S *  | 6/2003  | Coglitore et al. | D14/356    |
| 6,642,447    | B1 * | 11/2003 | Mailloux         | 174/50     |
| D661,696     | S *  | 6/2012  | Takada           | D14/356    |
| 8,253,015    | B2 * | 8/2012  | Chang            | 174/50     |
| D705,230     | S *  | 5/2014  | Hung et al.      | D14/440    |
| D711,463     | S *  | 8/2014  | Costabeber       | D18/50     |
| D714,296     | S *  | 9/2014  | Fujioka          | D14/440    |
| D718,733     | S *  | 12/2014 | Kishita et al.   | D14/140.2  |
| 8,941,983    | B2 * | 1/2015  | Lung et al.      | 361/679.39 |
| 8,988,821    | B2 * | 3/2015  | Li               | 360/99.15  |
| D728,556     | S *  | 5/2015  | Kishita et al.   | D14/300    |
| D729,225     | S *  | 5/2015  | Kishita et al.   | D14/300    |
| D729,226     | S *  | 5/2015  | Kishita et al.   | D14/300    |
| 2011/0220770 | A1 * | 9/2011  | Sun              | 248/309.1  |
| 2012/0262038 | A1 * | 10/2012 | Zeng et al.      | 312/223.2  |

\* cited by examiner

Primary Examiner — Cynthia Underwood

(74) Attorney, Agent, or Firm — Birch, Stewart, Kolasch & Birch, LLP

(57) **CLAIM**

The ornamental design for a case for a process control instrument, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a case for a process control instrument.  
FIG. 2 is a front elevation view thereof.  
FIG. 3 is a rear elevation view thereof.  
FIG. 4 is a top plan view thereof.  
FIG. 5 is a bottom plan view thereof.  
FIG. 6 is a left side elevation view thereof.  
FIG. 7 is a right side elevation view thereof.  
FIG. 8 is a cross-sectional view taken along line 8-8 in FIG. 2;  
FIG. 9 is a cross-sectional view taken along line 9-9 in FIG. 2;  
and,  
FIG. 10 is a perspective view with the connecting fittings in an open position.

**1 Claim, 10 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10

