



US00D740437S

(12) **United States Design Patent**
Löhn

(10) **Patent No.:** **US D740,437 S**

(45) **Date of Patent:** **** Oct. 6, 2015**

(54) **PIPETTE BARREL**

(56) **References Cited**

(71) Applicant: **Eppendorf AG**, Hamburg (DE)

U.S. PATENT DOCUMENTS

(72) Inventor: **Jürgen Löhn**, Gross Meckelsen (DE)

3,308,820 A	3/1967	Hubbard	
D229,748 S	1/1974	White	
4,108,175 A	8/1978	Orton	
4,164,870 A	8/1979	Scordato et al.	
D254,445 S	3/1980	Boghosian	
4,212,204 A *	7/1980	St. Amand	D24/222
D268,131 S	3/1983	St. Amand	
4,418,580 A	12/1983	Satchell et al.	
4,679,446 A	7/1987	Sheehan et al.	
D300,561 S	4/1989	Asa et al.	
5,002,737 A	3/1991	Tervamaki	
5,084,241 A	1/1992	Parker	
5,406,856 A	4/1995	Kuhn	
5,435,197 A	7/1995	Telimaa et al.	
D365,146 S	12/1995	Olson	
5,482,864 A	1/1996	Knobel	
D384,162 S	9/1997	Husar et al.	
D384,163 S	9/1997	Husar et al.	
D384,418 S *	9/1997	Torti et al.	D24/222
D387,425 S	12/1997	Niedospial et al.	
D387,426 S	12/1997	Husar et al.	
5,705,062 A	1/1998	Knobel	

(73) Assignee: **Eppendorf AG**, Hamburg (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/480,532**

(22) Filed: **Jan. 27, 2014**

Related U.S. Application Data

(62) Division of application No. 29/411,114, filed on Jan. 17, 2012.

(30) **Foreign Application Priority Data**

Dec. 22, 2011	(DE)	40 2011 006 810
Dec. 22, 2011	(DE)	40 2011 006 811
Dec. 22, 2011	(DE)	40 2011 006 814
Dec. 22, 2011	(DE)	40 2011 006 816
Dec. 22, 2011	(DE)	40 2011 006 821

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/222**

(58) **Field of Classification Search**
USPC D24/216, 222-226, 231, 232, 186, 169,
D24/108, 112-115, 117, 121, 127, 130;
D10/81; 422/521, 501-503; 73/863.32,
73/864.01, 864.16, 864.17, 864.14,
73/864.21; 436/180

See application file for complete search history.

(Continued)

Primary Examiner — Anhdao Doan
(74) *Attorney, Agent, or Firm* — White & Case LLP


(57) **CLAIM**

The ornamental design for a pipette barrel, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of a pipette barrel showing my new design;
FIG. 2 is perspective view of the design of FIG. 1;
FIG. 3 is a front view of a second embodiment of a pipette barrel showing my new design; and,
FIG. 4 is a perspective view of the design of FIG. 2;
The broken lines in the Figures are included for the purpose of illustrating portions of the pipette barrel that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,747,709 A 5/1998 Oshikubo
5,770,159 A 6/1998 Marteau D' Autry
D401,698 S * 11/1998 Daniels D24/222
D437,797 S 2/2001 Bishop
6,461,808 B1 10/2002 Bodner et al.

D465,853 S * 11/2002 Petersen D24/222
D468,830 S * 1/2003 On et al. D24/222
D468,831 S * 1/2003 On et al. D24/222
7,185,551 B2 3/2007 Schwartz
7,690,274 B2 4/2010 Telimaa et al.
7,947,512 B2 * 5/2011 Tajima et al. 436/180
2008/0138249 A1 6/2008 Itoh
2011/0263005 A1 10/2011 Chang et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4