



US00D740521S

(12) **United States Design Patent**  
**Stachura et al.**

(10) **Patent No.:** **US D740,521 S**

(45) **Date of Patent:** **\*\* Oct. 13, 2015**

(54) **DIVING SUIT**

2003/0188368 A1\* 10/2003 Stinton ..... 2/2.16  
2009/0100557 A1\* 4/2009 Insulan ..... 2/2.17  
2010/0100994 A1\* 4/2010 Ehlme ..... 2/2.16

(75) Inventors: **Tomasz Stachura**, Gdynia (PL); **Jakub Szelagowski**, Gdynia (PL)

\* cited by examiner

(73) Assignee: **SANTI Diving Equipment Company**, Gdynia (PL)

*Primary Examiner* — Karen E Kearney  
*Assistant Examiner* — Nathaniel D Buckner

(74) *Attorney, Agent, or Firm* — Horst M. Kasper

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a diving suit, as shown and described.

(21) Appl. No.: **29/395,731**

(22) Filed: **Mar. 19, 2012**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Sep. 19, 2011 (EM) ..... 001293971-0001

(51) **LOC (10) Cl.** ..... **02-02**

(52) **U.S. Cl.**  
USPC ..... **D2/732**

(58) **Field of Classification Search**  
USPC ..... D2/731-735; 2/2.15-2.17, 51, 69-69.5, 2/70, 464  
CPC .. B63C 11/04; B63C 11/10; B63C 2011/043; B63C 9/087; A41D 13/04; A41D 13/005; A41D 13/012

See application file for complete search history.

FIG. 1 is a perspective view of a diving suit showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view thereof, shown in an alternate configuration with the upper and bottom part of the diving suit separated;

FIG. 9 is a front elevation view thereof, shown in an alternate configuration with the upper and bottom part of the diving suit separated;

FIG. 10 is a rear elevation view thereof, shown in an alternate configuration with the upper and bottom part of the diving suit separated;

FIG. 11 is a front elevation view thereof, shown in a second alternate configuration as appears on a diver, with the belt section hidden under the upper part of the suit; and,

FIG. 12 is a rear elevation view thereof, shown in a second alternate configuration as appears on a diver, with the belt section hidden under the upper part of the suit.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,731,319 A \* 5/1973 O'Neill ..... 2/2.17  
D245,817 S \* 9/1977 Smalley ..... D2/732  
4,242,769 A \* 1/1981 Rayfield et al. .... 441/91  
4,535,477 A \* 8/1985 Musto et al. .... 2/2.17  
6,415,440 B1 \* 7/2002 Stinton ..... 2/2.17  
6,477,712 B1 \* 11/2002 Jones ..... 2/69  
2003/0115653 A1 \* 6/2003 Myerscough ..... 2/2.15

**1 Claim, 11 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8






Fig. 9




Fig. 10




Fig. 11




Fig. 12

