



US00D740616S

(12) **United States Design Patent**
Lindgren

(10) **Patent No.:** **US D740,616 S**
(45) **Date of Patent:** **** Oct. 13, 2015**

(54) **CONTAINER WITH LID WITH A SPOUT**

(71) Applicant: **Bengt Lindgren**, Svedala (SE)

(72) Inventor: **Bengt Lindgren**, Svedala (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/461,317**

(22) Filed: **Sep. 3, 2013**

(30) **Foreign Application Priority Data**

May 11, 2013 (EM) 002235614-0001

(51) **LOC (10) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D7/598**

(58) **Field of Classification Search**
USPC D7/598, 300.1, 310, 312, 314, 316-320,
D7/322, 392.1, 396.2, 397, 507, 509, 511,
D7/510, 512, 523, 529, 532, 590, 600, 608,
D7/900; D9/716, 719, 439, 443, 454, 503,
D9/446, 436, 504, 505; 222/23, 25, 144.5,
222/156, 158, 183, 185.1, 444, 446-451,
222/465.1, 469, 470-473, 475.1; 220/705,
220/23.83, 710, 709, 711, 254.3, 501, 288,
220/4.01, 592.22, 663, 756; 215/12.1, 398,
215/11.6, 347
CPC B01F 7/00583; B01F 13/0022; B01F
15/00512; A47J 43/044
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D175,086 S * 7/1955 Mango D7/318
2,807,944 A * 10/1957 Glass 222/475.1
2,905,074 A * 9/1959 Newman 99/295
D192,528 S * 4/1962 Wright D7/317
D193,523 S * 9/1962 Manitowoc D7/317

D199,917 S * 12/1964 Dann D7/317
3,201,011 A * 8/1965 Brocken 222/473
3,400,865 A * 9/1968 Hester 222/475
D258,712 S * 3/1981 Jacobson D7/317
4,802,406 A * 2/1989 Bouldin 99/295
D325,687 S * 4/1992 Embree D7/510
D325,848 S * 5/1992 Embree D7/510
D326,206 S * 5/1992 Rakocy et al. D7/317
D326,586 S * 6/1992 Embree D7/510
D331,861 S * 12/1992 Minuti D7/598
D363,188 S * 10/1995 Saltet D7/318
D393,174 S * 4/1998 Mork et al. D7/318
D437,174 S * 2/2001 Inoue D7/319
D454,024 S * 3/2002 Kling D7/318
D454,468 S * 3/2002 Mano D7/318
D455,609 S * 4/2002 Mandel et al. D7/510
D495,917 S * 9/2004 Watanabe D7/318
D521,795 S * 5/2006 Imai D7/318

(Continued)

Primary Examiner — Ian Simmons
Assistant Examiner — Shannon Morgan

(57) **CLAIM**
The ornamental design for a container with lid with a spout, as shown and described.

DESCRIPTION

FIG. 1 is an exploded front perspective view of a container with lid with a spout showing my new design;
FIG. 2 is a front perspective view shown with the lid in an open position of the container with lid with a spout;
FIG. 3 is a downward side perspective view shown with the lid in an open position of the container with lid with a spout;
FIG. 4 is a top plan view of the container with lid with a spout;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a rear elevational view thereof.
The broken line portion showing liquid in FIG. 3 of the container with lid with a spout is for the purpose of illustrating environment, and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D550,035 S *	9/2007	Tien	D7/510	D686,864 S *	7/2013	Poul et al.	D7/318
D550,500 S *	9/2007	Huang	D7/317	D713,672 S *	9/2014	Ho	D7/392.1
D586,178 S *	2/2009	Ku	D7/392.1	D717,092 S *	11/2014	Kotani	D7/319
D679,953 S *	4/2013	Peterson et al.	D7/598	D719,777 S *	12/2014	Metaxatos et al.	D7/319
D686,034 S *	7/2013	Bodum	D7/318	2009/0071988 A1 *	3/2009	Nybakke	222/472
				2013/0026185 A1 *	1/2013	Horvath et al.	222/144.5
				2014/0117055 A1 *	5/2014	Peterson et al.	222/472

* cited by examiner



FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7