

US00D740996S

(12) **United States Design Patent**
Tragatschnig

(10) **Patent No.:** **US D740,996 S**
(45) **Date of Patent:** **** Oct. 13, 2015**

(54) **LIGHT FIXTURE**

(71) Applicant: **Jörg Tragatschnig**, Zell am See (AT)

(72) Inventor: **Jörg Tragatschnig**, Zell am See (AT)

(**) Term: **14 Years**

(21) Appl. No.: **29/494,002**

(22) Filed: **Jun. 16, 2014**

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/118**

(58) **Field of Classification Search**

USPC D26/25–26, 28, 51, 55–57, 59–64, 66,
D26/72–91, 93, 113, 118–120, 122, 138,
D26/140–142; 362/145–148, 150–153,
362/153.1, 217.01, 217.02, 217.05–217.07,
362/217.1, 217.15, 218, 223, 241, 249.02,
362/296.07, 296.08, 294, 299, 311.02,
362/341–345, 362, 373, 563, 580, 600, 608,
362/609, 640, 641, 805; D11/142, 143,
D11/144, 155; D6/300, 310, 314
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D392,914 S *	3/1998	Friend		D11/155
D396,319 S *	7/1998	Sutton		D26/73
D416,644 S *	11/1999	Swope		D26/142
D437,446 S *	2/2001	Reo et al.		D26/91
D477,104 S *	7/2003	Wang		D26/72
D491,061 S *	6/2004	Bouroullec et al.		D11/155
D514,732 S *	2/2006	Benensohn		D26/89
D551,379 S *	9/2007	Maxik		D26/74
D577,454 S *	9/2008	Maxik et al.		D26/63

D673,712 S *	1/2013	Patel		D26/74
D677,824 S *	3/2013	Maxik et al.		D26/89
D679,437 S *	4/2013	Watt		D26/74
D682,457 S *	5/2013	Watt		D26/74
D684,718 S *	6/2013	Ko		D26/72
D690,875 S *	10/2013	McKenzie et al.		D26/118
D691,762 S *	10/2013	Sieczkowski		D26/89
D695,442 S *	12/2013	Speier et al.		D26/74
D698,069 S *	1/2014	Messisaen		D26/74
D698,970 S *	2/2014	Guzzini		D26/74
D703,861 S *	4/2014	Holland et al.		D26/89
D717,487 S *	11/2014	Guzzini		D26/118

* cited by examiner

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Llorellys Martinez-Rivera

(74) *Attorney, Agent, or Firm* — Nawshaba Siddiquee; Neal,
Gerber & Eisenberg LLP

(57) **CLAIM**

The ornamental design for a light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a light fixture showing the present invention, in an environment of use;

FIG. 2 is a front view thereof the rear view being a mirror image thereof;


FIG. 3 is right side view thereof the left side being a mirror image thereof;

FIG. 4 is a top view thereof; and,

FIG. 5 is bottom view.

The broken lines illustrate portions of the light fixture which form no part of the claimed design. Further, the broken lines having a different pattern illustrate boundaries between the claimed and unclaimed portions of the design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D740,996 S
APPLICATION NO. : 29/494002
DATED : October 13, 2015
INVENTOR(S) : Jörg Tragatschnig

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The drawing sheet consisting of Fig. 4, should be deleted to be replaced with the drawing sheet, consisting of Fig. 4, as shown on the attached page.

Signed and Sealed this
Fifth Day of April, 2016

A handwritten signature in black ink, reading "Michelle K. Lee". The signature is written in a cursive, flowing style.

Michelle K. Lee
Director of the United States Patent and Trademark Office




FIG. 4