



US00D741293S

(12) **United States Design Patent**
Baird et al.

(10) **Patent No.:** **US D741,293 S**
(45) **Date of Patent:** **** Oct. 20, 2015**

(54) **LOUDSPEAKER**

(71) Applicant: **Martin Audio Limited**, High Wycombe (GB)

(72) Inventors: **Jason D. Baird**, London (GB); **Ben J. Holden**, Hertfordshire (GB)

(73) Assignee: **Martin Audio Limited** (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/494,232**

(22) Filed: **Jun. 18, 2014**

Related U.S. Application Data

(62) Division of application No. 29/436,730, filed on Nov. 8, 2012, now Pat. No. Des. 710,332.

(30) **Foreign Application Priority Data**

May 11, 2012 (EM) 001327027-0001
May 11, 2012 (EM) 001327027-0002
May 11, 2012 (EM) 001327027-0003
May 11, 2012 (EM) 001327027-0004

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/214**

(58) **Field of Classification Search**

USPC D14/167, 168, 170–172, 188, 194–196,
D14/204, 207, 209.1, 210–216, 219, 221,
D14/222, 224, 496; 181/143, 144, 147, 148,
181/150, 153, 157, 198, 199; 381/300–303,
381/306, 332, 333, 336, 345, 361–364,
381/386–388; 369/6–12
CPC B60R 11/0217; G06F 1/1688; H04M 1/03;
H04M 1/035; H04R 1/02; H04R 1/06; H04R
1/021; H04R 1/025; H04R 1/026; H04R

1/028; H04R 1/105; H04R 1/323; H04R
1/403; H04R 1/2803; H04R 1/2834; H04R
5/02; H04R 7/20; H04R 9/06; H04R 9/025;
H04R 2201/021; H04R 2400/00; H04R
2400/07; H04R 2499/11; H04R 2499/13;
H04R 2499/15; H04S 3/00; H04S 7/30
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D359,286 S * 6/1995 Fujino D14/212
D439,237 S * 3/2001 Felix et al. D14/214
D439,238 S * 3/2001 Mackie et al. D14/214
D565,549 S * 4/2008 Sawhney et al. D14/214

(Continued)

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Dinsmore & Shohl LLP

(57) **CLAIM**



The ornamental design of a loudspeaker, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and side perspective view of a loudspeaker showing the new design;
FIG. 2 is a front view of the design of FIG. 1;
FIG. 3 is a rear view of the design of FIG. 1;
FIG. 4 is a side view of the design of FIG. 1;
FIG. 5 is an opposite side view of the design of FIG. 1;
FIG. 6 is a top view of the design of FIG. 1;
FIG. 7 is a bottom view of the design of FIG. 1; and,
FIG. 8 is a rear, top and side perspective view of the design of FIG. 1.

The broken lines in the drawings, if any, represent portions of the structure that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D741,293 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D568,293 S * 5/2008 Sawhney et al. D14/214
D568,294 S * 5/2008 Sawhney et al. D14/214
D575,271 S * 8/2008 Baird et al. D14/214
D582,892 S * 12/2008 Baird et al. D14/214

D583,802 S * 12/2008 Pincek et al. D14/214
D642,555 S * 8/2011 Hawkins et al. D14/214
D695,269 S * 12/2013 Carpenter et al. D14/210
D710,332 S * 8/2014 Baird et al. D14/221
D719,933 S * 12/2014 Kane D14/214

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8