

(12) United States Design Patent US D741,612 S (10) Patent No.: ** Oct. 27, 2015 (45) **Date of Patent:** Taunton

CHAIR (54)

- Applicant: Foremost Groups, Inc., East Hanover, (71)NJ (US)
- **Robert Taunton**, Goodlettsville, TN (72)Inventor: (US)
- Foremost Groups, Inc., East Hanover, (73)Assignee: NJ (US)

D572,929 S	*	7/2008	van Ierssel et al	D6/375
D582,173 S	*	12/2008	Dordoni	D6/369
			Pheasant	
D596,864 S	*	7/2009	Bergmann et al.	D6/369
			Kubryk	

* cited by examiner

Primary Examiner — Mimosa De (74) Attorney, Agent, or Firm – Drinker Biddle & Reath LLP

14 Years (**` Term:

- Appl. No.: 29/501,358 (21)
- (22)Filed: Sep. 3, 2014
- (51)U.S. Cl. (52)
- USPC D6/369

Field of Classification Search (58)USPC D6/334–336, 369, 370, 371–373, 374, D6/375, 716, 716.1, 716.2, 716.3, 716.4 CPC A47C 4/02; A47C 4/03; A47C 3/12; A47C 5/02; A47C 7/54

See application file for complete search history.

References Cited (56)

U.S. PATENT DOCUMENTS

D183,416 S	*	8/1958	Bellmann	D6/375
D186,309 S	*	10/1959	Gunderson	D6/375
D234,988 S	*	4/1975	Lopez-Benitez	D6/334
			Hutton	

(57)CLAIM The ornamental design for a chair, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a chair according to the present invention.

FIG. 2 is a rear view of the chair of FIG. 1.

FIG. 3 is a top view of the chair of FIG. 1.

FIG. 4 is a bottom view of the chair of FIG. 1; and, FIG. 5 is a left side view of the chair of FIG. 1; the right side view being a mirror image.

The fragmented depictions of the wicker weave pattern are understood to represent a uniform and continuous wicker weave pattern throughout the circumscribed areas. The fragmented depictions of the wicker twisted rope pattern are understood to represent a continuous twisted rope pattern extending along the entire length of the lines that they are shown circumscribed about.

1 Claim, 4 Drawing Sheets



U.S. Patent Oct. 27, 2015 Sheet 1 of 4 US D741,612 S



FIG. 1

•

U.S. Patent Oct. 27, 2015 Sheet 2 of 4 US D741,612 S



FIG. 2

U.S. Patent Oct. 27, 2015 Sheet 3 of 4 US D741,612 S



FIG. 3



FIG. 4

U.S. Patent Oct. 27, 2015 Sheet 4 of 4 US D741,612 S



