

(12) **United States Design Patent** (10) **Patent No.:** **US D741,650 S**
Bombard et al. (45) **Date of Patent:** **** Oct. 27, 2015**

(54) **FOOD SUPPORT RACK**

(71) Applicants: **Marilyn B. Bombard**, Arlington Heights, IL (US); **Mario Gonzalez**, Kenosh, WI (US); **Gregory Foster**, Chicago, IL (US)

(72) Inventors: **Marilyn B. Bombard**, Arlington Heights, IL (US); **Mario Gonzalez**, Kenosh, WI (US); **Gregory Foster**, Chicago, IL (US)

(73) Assignee: **Weber-Stephen Products LLC**, Palatine, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/492,775**

(22) Filed: **Jun. 3, 2014**

(51) **LOC (10) Cl.** **07-02**

(52) **U.S. Cl.**
USPC **D7/409**

(58) **Field of Classification Search**
USPC D7/323, 332, 335-337, 354-355, D7/359-364, 387-388, 402, 407-409, 601, D7/632; D30/133
CPC A01K 5/01; A21B 2/00; A21B 3/00; A21B 3/13; A21B 3/15; A21B 5/00; A21B 5/02; A23N 12/06; A23N 12/08; A23N 12/10; A47J 36/22; A47J 37/00; A47J 37/04; A47J 37/041; A47J 37/042; A47J 37/06; A47J 37/0688; A47J 37/0694; A47J 37/07; A47J 37/0704; A47J 37/10; A47J 43/18; A47J 47/20; A47J 2037/00; A47J 2037/06; A47J 2307/0611; A47J 2037/07; A47J 2037/0786; A47J 2037/0795; F24C 15/10; F24C 15/12; F24C 15/14; F24C 15/16; F24C 15/164; F24C 15/18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

553,363	A *	1/1896	Sickels	99/427
2,593,077	A *	4/1952	Vogt	248/165
4,253,424	A *	3/1981	Williams	119/61.4
D297,489	S *	9/1988	Chap et al.	D7/601
D308,317	S *	6/1990	Kozioł	D7/409
D359,880	S *	7/1995	Fielding et al.	D7/409
D472,681	S *	4/2003	Melius	D30/133
D479,435	S *	9/2003	Siegel et al.	D7/409
D534,395	S *	1/2007	Home	D7/409
D555,977	S *	11/2007	Gonzalez et al.	D7/409
D639,613	S *	6/2011	Goodman et al.	D7/632
D660,647	S *	5/2012	Casey et al.	D7/408
D699,073	S *	2/2014	Cheung	D7/402

* cited by examiner

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Niro Haller & Niro



(57) **CLAIM**

The ornamental design for a food support rack, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a food support rack of the present invention;
 FIG. 2 is a perspective view of a food support rack of the present invention with the food support elements in a reversed position;
 FIG. 3 is a perspective view of a frame of the food support rack of FIGS. 1 and 2;
 FIG. 4 is a top plan view of an alternative embodiment of the food support rack of the present invention;
 FIG. 5 is a top plan view of an alternative frame of the food support rack of FIG. 4;
 FIG. 6 is a right side elevational view of the food support rack of FIG. 4 with the food support elements installed;
 FIG. 7 is a left side elevational view of the food support rack of FIG. 6;
 FIG. 8 is a front elevational view of the food support rack of FIG. 4 with the food support elements in a reversed position; and,
 FIG. 9 is a rear elevational view of the food support rack of FIG. 4.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

Fig. 6




Fig. 7




Fig. 8




Fig. 9

