



US00D741692S

(12) **United States Design Patent**
Mulvoy et al.

(10) **Patent No.:** **US D741,692 S**
(45) **Date of Patent:** **** Oct. 27, 2015**

(54) **STANCHION CARABINER**

(71) Applicant: **M-R Products, Inc.**, Copemish, MI
(US)

(72) Inventors: **Maree Mulvoy**, Copemish, MI (US);
Dennis Stacey, Copemish, MI (US)

(73) Assignee: **M-R Products, Inc.**, Copemish, MI
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/490,690**

(22) Filed: **May 12, 2014**

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
USPC D8/367, 356, 371, 373, 354, 355, 349;
D6/323; D3/24; 248/215, 301, 339,
248/349.1; 160/349.2; 24/265 H, 265 R,
24/599.1, 599.8, 113 R, 573.5; 294/82.18;
29/525.1, 45.3; 223/106; D14/432,
D14/140, 217
CPC A45F 3/00; A63B 27/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

76,517	A *	4/1868	Pelton	59/89
4,095,316	A *	6/1978	Gabriel	24/599.1
4,811,467	A *	3/1989	Lowe	24/592.1
D375,252	S *	11/1996	Serra Fabregas	D8/356
5,577,304	A *	11/1996	Simond	24/588.1
D473,781	S *	4/2003	Kelleghan	D8/356
6,606,769	B1 *	8/2003	Harris	24/599.2
D527,988	S *	9/2006	Shetler	D8/356
D565,392	S *	4/2008	Shetler	D8/356
D631,331	S *	1/2011	Kelleghan	D8/356
D655,999	S *	3/2012	Kelleghan	D8/356
D668,528	S *	10/2012	Chung	D8/356
D684,452	S *	6/2013	Petzl	D8/356
2008/0209700	A1 *	9/2008	Goldberg	24/599.6

* cited by examiner

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Fishman Stewart
Yamaguchi PLLC

(57) **CLAIM**

The ornamental design for a stanchion carabiner, as shown
and described.

DESCRIPTION

FIG. 1 is a front perspective view of a stanchion carabiner in
the closed position;

FIG. 2 is a front view of a stanchion carabiner in the closed
position;

FIG. 3 is a rear view of a stanchion carabiner in the closed
position;

FIG. 4 is a top view of a stanchion carabiner in the closed
position;

FIG. 5 is a left side view of a stanchion carabiner in the closed
position;

FIG. 6 is a right side view of a stanchion carabiner in the
closed position;

FIG. 7 is a front perspective view of a stanchion carabiner in
the open position;

FIG. 8 is a front view of a stanchion carabiner in the open
position;

FIG. 9 is a rear view of a stanchion carabiner in the open
position;

FIG. 10 is a top view of a stanchion carabiner in the open
position;

FIG. 11 is a bottom view of a stanchion carabiner in the open
position;


FIG. 12 is a left side view of a stanchion carabiner in the open
position;

FIG. 13 is a right side view of a stanchion carabiner in the
open position; and,

FIG. 14 is a cross sectional view of a stanchion carabiner
taken from line 14-14 in FIG. 12.

Portions of the figures shown in broken lines depict environ-
mental subject matter and form no part of the claim.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14