



US00D741819S

(12) **United States Design Patent**
Ueno et al.

(10) **Patent No.:** **US D741,819 S**
(45) **Date of Patent:** **** Oct. 27, 2015**

(54) **PUSH SWITCH**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **HOKURIKU ELECTRIC INDUSTRY CO., LTD.**, Toyama-shi, Toyama (JP)

JP 905888 S 9/1994
JP 1030983 S 1/1999

(Continued)

(72) Inventors: **Satoshi Ueno**, Toyama Prefecture (JP);
Seiji Maeda, Toyama Prefecture (JP);
Akira Tanikawa, Toyama Prefecture (JP)

OTHER PUBLICATIONS

(73) Assignee: **HOKURIKU ELECTRIC INDUSTRY CO., LTD.**, Toyama-Shi (JP)

Japanese Notice of Rejection issued against JP Design Application No. 2013-6691 including Industrial Design Section of Japan Patent Office, public disclosed document No. HA18032269 "Design of a Switch", p. 50, "New Products Information", Jan. 1, 2007 and National Center for Industrial Property Information and Training accepted and stored on Jan. 12, 2007, 2 pages.

(**) Term: **14 Years**

Primary Examiner — Selina Sikder

(21) Appl. No.: **29/467,850**

(74) *Attorney, Agent, or Firm* — Rankin, Hill & Clark LLP

(22) Filed: **Sep. 24, 2013**

(57) **CLAIM**

We claim the ornamental design for a push switch, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Mar. 26, 2013 (JP) 2013-6690

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/171**

(58) **Field of Classification Search**
USPC D13/171, 174; 307/139; 200/5 R, 5 A,
200/302.2, 520, 530, 293, 296, 406, 516,
200/308, 310, 314, 329, 341
See application file for complete search history.

FIG. 1 is a front side elevation view of a push switch.
FIG. 2 is a rear side elevation view thereof.
FIG. 3 is a right side elevation view thereof.
FIG. 4 is a left side elevation view thereof.
FIG. 5 is a top plan view thereof.
FIG. 6 is a bottom plan view thereof.
FIG. 7 is a cross-sectional view thereof, taken along the line 7-7 in FIG. 5.
FIG. 8 is a cross-sectional view thereof, taken along the line 8-8 in FIG. 5; and,
FIG. 9 is a perspective view thereof.
An article relating to the subject design is a push switch. The push switch can make the switch to a connection point by pushing the center of the upper surface of the article (convex part of the upper surface). The article is used, for example, for small electronic devices, such as mobile phones.
The broken line disclosure is for illustrative purposes only and forms no part of the claimed design.



(56) **References Cited**

U.S. PATENT DOCUMENTS

6,995,324 B2 * 2/2006 Asada 200/1 B
7,057,128 B1 * 6/2006 Oyagi et al. 200/406
D533,144 S * 12/2006 Asada D13/171
D537,797 S * 3/2007 Yanai et al. D13/171
7,429,707 B2 * 9/2008 Yanai et al. 200/1 B

(Continued)

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,557,320 B1 * 7/2009 Crooijmans et al. 200/406
 D598,870 S * 8/2009 Asada D13/171
 8,212,160 B2 * 7/2012 Tsao 200/1 B
 D680,503 S * 4/2013 Kawashima et al. D13/171
 8,410,381 B2 * 4/2013 Yanai et al. 200/275
 D688,636 S * 8/2013 Oishi et al. D13/171
 8,604,375 B2 * 12/2013 Yltchev et al. 200/406
 D701,785 S * 4/2014 Saikawa et al. D10/108
 D702,577 S * 4/2014 Saikawa et al. D10/108
 8,723,065 B2 * 5/2014 Kikuchi et al. 200/512
 8,759,704 B2 * 6/2014 Inamoto et al. 200/406
 D719,924 S * 12/2014 Ueno et al. D13/171

2008/0164133 A1* 7/2008 Hayafune 200/516
 2011/0284357 A1* 11/2011 Yasunaga et al. 200/530
 2011/0303520 A1* 12/2011 Burnel et al. 200/512
 2012/0111712 A1* 5/2012 Cour et al. 200/511
 2012/0241302 A1* 9/2012 Ishigame et al. 200/530

FOREIGN PATENT DOCUMENTS

JP 1057284 S 12/1999
 JP 2000-294079 A 10/2000
 JP 1153754 S 9/2002
 JP 1170338 S 4/2003
 JP 1251969 S 9/2005

* cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9

