



US00D742054S

(12) **United States Design Patent**
Fisher

(10) **Patent No.:** **US D742,054 S**

(45) **Date of Patent:** **** *Oct. 27, 2015**

(54) **LIGHTING APPARATUS**

(71) Applicant: **Jamb Limited**, London (GB)

(72) Inventor: **Will Fisher**, London (GB)

(73) Assignee: **Jamb Limited**, London (GB)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/470,705**

(22) Filed: **Oct. 24, 2013**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/85**

(58) **Field of Classification Search**
USPC D26/72, 85, 87, 89, 120; 362/84, 147,
362/350, 404-408, 432
CPC F21S 8/04; F21V 21/02; F21V 29/02;
F21V 17/08; F21V 17/10; F21V 17/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,941,079	A	*	12/1933	Exelmans	362/224
D143,336	S	*	12/1945	Morrison	D26/89
D165,738	S	*	1/1952	Brochstein	D26/85
D191,369	S	*	9/1961	Martin	D26/87
D283,555	S	*	4/1986	Levi	D26/85
D339,203	S	*	9/1993	Namenye et al.	D26/85
D411,030	S	*	6/1999	Chen	D26/87
D424,232	S	*	5/2000	Tihany	D26/87

D430,327	S	*	8/2000	Rockwell et al.	D26/87
D568,525	S	*	5/2008	Chandler	D26/85
D585,153	S	*	1/2009	Maxik et al.	D26/85
D608,935	S	*	1/2010	Pedersen	D26/85
D622,891	S	*	8/2010	Nadell	D26/85
D626,271	S	*	10/2010	Verelst	D26/85
D626,679	S	*	11/2010	Verelst	D26/85
D626,680	S	*	11/2010	Verelst	D26/85
D634,054	S	*	3/2011	Janssen	D26/89
D637,337	S	*	5/2011	Sole'	D26/85
D646,426	S	*	10/2011	Wolk	D26/85
D650,506	S	*	12/2011	Kaule	D26/72
D662,251	S	*	6/2012	Wauters	D26/85
D697,248	S	*	1/2014	Martin	D26/85
D698,979	S	*	2/2014	Scatena	D26/85
D703,864	S	*	4/2014	Blum et al.	D26/118

* cited by examiner

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Hovey Williams LLP


(57) **CLAIM**

The ornamental design for a lighting apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the lighting apparatus.
FIG. 2 is a front elevation of the lighting apparatus.
FIG. 3 is a right side elevation of FIG. 2 of the lighting apparatus.
FIG. 4 is a left side elevation of FIG. 2 of the lighting apparatus.
FIG. 5 is a top plan of FIG. 2 of the lighting apparatus.
FIG. 6 is a bottom plan of FIG. 2 of the lighting apparatus; and,
FIG. 7 is a rear elevation of FIG. 2 of the lighting apparatus.

1 Claim, 6 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.