



US00D742073S

(12) **United States Design Patent**  
**Zamolo et al.**

(10) **Patent No.:** **US D742,073 S**

(45) **Date of Patent:** **\*\* Oct. 27, 2015**

(54) **PRISONER RESTRAINT KIT**

7,581,416 B1 \* 9/2009 Lenertz ..... 70/16  
7,942,152 B1 \* 5/2011 Foster et al. .... 128/879  
8,056,927 B2 \* 11/2011 Singh ..... 280/806

(71) Applicants: **Craig Zamolo**, Murphy's, CA (US);  
**Ronald O'Dell**, Danville, CA (US)

\* cited by examiner

(72) Inventors: **Craig Zamolo**, Murphy's, CA (US);  
**Ronald O'Dell**, Danville, CA (US)

*Primary Examiner* — Randall Gholson

(73) Assignee: **SAFE RESTRAINTS, INC.**, Walnut  
Creek, CA (US)

(57) **CLAIM**

The ornamental design for a prisoner restraint kit, as shown  
and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/488,952**

(22) Filed: **Apr. 24, 2014**

(51) **LOC (10) Cl.** ..... **29-02**

(52) **U.S. Cl.**  
USPC ..... **D29/100**

(58) **Field of Classification Search**  
USPC ..... D29/100-101.5, 120.1, 120.2, 113;  
2/16, 17, 170; 24/16 PB; 70/14-19;  
119/770; 128/869, 878

CPC ..... E05B 75/00

See application file for complete search history.

FIG. 1 is front view of an upper harness part of the prisoner  
restraint kit of my design placed into an elevated position.

FIG. 2 is a rear view thereof.

FIG. 3 is a front view of an upper harness part of the prisoner  
restraint kit of my design.

FIG. 4 is a rear view thereof.

FIG. 5 is a bottom view thereof.

FIG. 6 is a top view thereof.

FIG. 7 is a left and right side view thereof.

FIG. 8 is a front view of a lower harness part of the prisoner  
restraint kit of my design.

FIG. 9 is a rear view thereof.

FIG. 10 is a left side view thereof.

FIG. 11 is a right side view thereof.

FIG. 12 is a top view thereof.

FIG. 13 is a bottom view thereof.

FIG. 14 is the upper harness part of FIG. 9 and the lower  
harness part of FIG. 8 shown together as the prisoner restraint  
kit of my design.

FIG. 15 is a front view of a hobble part of the prisoner restraint  
kit of my design.

FIG. 16 is a side view thereof; and,

FIG. 17 is a bottom view thereof.

Portions of the prisoner restraint kit are shown separately for  
ease of illustration.


The broken lines depict portions of the prisoner restraint kit  
that form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,971,073	A *	11/1990	Schneider	.....	128/874
5,211,186	A *	5/1993	Shoemaker et al.	.....	5/628
5,662,326	A *	9/1997	Gebran	.....	273/239
5,699,747	A	12/1997	O'Dell et al.		
5,728,059	A *	3/1998	Wiesemann et al.	.....	602/64
5,829,443	A *	11/1998	Cunningham	.....	128/869
5,893,366	A *	4/1999	Odell et al.	.....	128/869
D417,753	S *	12/1999	Wiley	.....	D29/101.1
6,857,430	B2 *	2/2005	Morris	.....	128/869
7,266,850	B1 *	9/2007	Strum et al.	.....	2/2.5

**1 Claim, 10 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8




FIG. 9






FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14



FIG. 15



FIG. 16




FIG. 17