



US00D742250S

(12) **United States Design Patent**  
**Upchurch**

(10) **Patent No.:** **US D742,250 S**  
(45) **Date of Patent:** **\*\* Nov. 3, 2015**

(54) **CONTAINER WITH MOVEABLE POPTOP CLOSURE**

D671,843 S \* 12/2012 Plosky et al. .... D9/773  
D678,784 S \* 3/2013 Aranha ..... D9/772  
D713,268 S \* 9/2014 Jones et al. .... D9/772

(71) Applicant: **G. David Upchurch**, New Castle, IN (US)

\* cited by examiner

(72) Inventor: **G. David Upchurch**, New Castle, IN (US)

*Primary Examiner* — Keli L Hill

(74) *Attorney, Agent, or Firm* — Woodard, Emhardt, Moriarty, McNett & Henry LLP

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/494,204**

The ornamental design for a container with movable pop-top closure, as shown and described.

(22) Filed: **Jun. 18, 2014**

**DESCRIPTION**

(51) **LOC (10) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/772**

(58) **Field of Classification Search**

USPC ..... D9/434, 435, 500, 502, 516, 530, 537,  
D9/539, 542, 549, 763–783, 553, 566;  
215/381–385; 220/660, 662, 669  
CPC ..... B65D 1/00; B65D 1/02; B65D 1/12;  
B65D 1/14; B65D 1/40; B65D 1/44; B65D  
1/023; B65D 1/0223; B65D 1/165; B65D  
1/238; B65D 1/246; B65D 1/253; B65D 7/04;  
B65D 21/0209; B65D 21/0233; B65D 25/00;  
B65D 25/28; B65D 41/0457; B65D 41/17;  
B65D 53/06; B65D 75/56; B65D 79/005;  
B65D 2501/0036; B65D 2543/00064; B65D  
2543/00074; B65D 2543/00083; B65D  
2543/00092; B65D 2543/00101; B65D  
2543/00111

See application file for complete search history.


FIG. 1 is a top perspective view of the preferred embodiment of the container showing the present invention with the closure shown in the open position;  
FIG. 2 is a top view thereof;  
FIG. 3 is a left side view thereof with the right side view being a mirror image thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a bottom view thereof;  
FIG. 7 is a top view thereof with the closure shown in the closed position;  
FIG. 8 is a top perspective view of the alternate embodiment of the container showing the present invention with the closure shown in the open position;  
FIG. 9 is a top view of the container of FIG. 8;  
FIG. 10 is a left side view of the container of FIG. 8 with the right side view being a mirror image thereof;  
FIG. 11 is a front view of the container of FIG. 8;  
FIG. 12 is a rear view of the container of FIG. 8;  
FIG. 13 is a bottom view of the container of FIG. 8; and,  
FIG. 14 is a top view of the container of FIG. 8 with the closure shown in the closed position.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D559,680 S \* 1/2008 Jacober et al. .... D9/438  
D605,060 S \* 12/2009 Reimer ..... D9/766

**1 Claim, 10 Drawing Sheets**







***Fig. 1***




**Fig. 2**




**Fig. 3**




**Fig. 4**




**Fig. 5**




**Fig. 6**




**Fig. 7**



**Fig. 8**




**Fig. 9**




**Fig. 10**







**Fig. 11**



**Fig. 12**



**Fig. 13**



**Fig. 14**