



US00D742251S

(12) **United States Design Patent**
Kaanta et al.

(10) **Patent No.:** **US D742,251 S**
(45) **Date of Patent:** **** Nov. 3, 2015**

(54) **TWO-PIECE CONTOURED METALLIC CONTAINER**

(71) Applicant: **Ball Corporation**, Broomfield, CO (US)

(72) Inventors: **Jason M. Kaanta**, Pine, CO (US);
Daniel A. Edwards, Westminster, CO (US)

(73) Assignee: **Ball Corporation**, Broomfield, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/496,738**

(22) Filed: **Jul. 16, 2014**

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/772**

(58) **Field of Classification Search**
USPC D9/434, 435, 500, 502, 516, 530, 537,
D9/539, 542, 549, 763-783, 553, 566;
215/381-385; 220/660, 662, 669
CPC B65D 1/00; B65D 1/02; B65D 1/12;
B65D 1/14; B65D 1/40; B65D 1/44; B65D
1/023; B65D 1/0223; B65D 1/165; B65D
1/238; B65D 1/246; B65D 1/253; B65D 7/04;
B65D 21/0209; B65D 1/0233; B65D 25/00;
B65D 25/28; B65D 41/0457; B65D 41/17;
B65D 53/06; B65D 75/56; B65D 79/005;
B65D 2501/0036; B65D 2543/00064; B65D
2543/00074; B65D 2543/00083; B65D
2543/00092; B65D 2543/00101; B65D
2543/00111

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D31,079 S 6/1899 Claude
1,698,999 A 1/1929 Hothersall
2,337,182 A 12/1943 Calleson

2,357,110 A 8/1944 Heineman
3,029,507 A 4/1962 Torello
D195,103 S 4/1963 Houghton
D200,362 S 2/1965 Nelson
D209,480 S 12/1967 Wallace
D217,585 S 5/1970 Lambelet
D225,835 S * 1/1973 Brown D9/520
3,726,244 A 4/1973 Arangelovich
D228,625 S 10/1973 Pearce
3,964,413 A 6/1976 Saunders
3,972,217 A 8/1976 Misonoo
3,995,572 A 12/1976 Saunders
D256,776 S 9/1980 Monnet
D267,780 S * 2/1983 Walter D9/434

(Continued)

FOREIGN PATENT DOCUMENTS

EP 76634 4/1985
EP 0092253 8/1987

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/498,856, filed Aug. 8, 2014, Kaanta et al.

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Sheridan Ross P.C.

(57) **CLAIM**

The ornamental design for a two-piece contoured metallic container, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the two-piece contoured metallic container;


FIG. 2 is a front elevation view thereof;

FIG. 3 is a top plan view thereof; and,

FIG. 4 is a bottom plan view thereof.

The broken lines showing a two-piece contoured metallic container are included for the purpose of illustrating environment and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,386,514 A 6/1983 Herten
 4,416,388 A 11/1983 Mulawski
 4,433,791 A 2/1984 Mulawski
 4,442,692 A 4/1984 Lyu
 4,485,663 A 12/1984 Gold et al.
 4,513,874 A 4/1985 Mulawski
 4,527,413 A 7/1985 Budrean et al.
 4,571,978 A 2/1986 Taube et al.
 4,580,690 A 4/1986 Mulawski
 4,734,303 A 3/1988 Fujiwara et al.
 4,774,839 A 10/1988 Caleffi et al.
 4,863,333 A 9/1989 Kaminski
 D307,648 S 5/1990 Arrington
 4,962,659 A 10/1990 Imazu et al.
 4,984,708 A 1/1991 Imazu et al.
 5,105,645 A 4/1992 Kobayashi et al.
 5,209,099 A 5/1993 Saunders
 5,249,447 A 10/1993 Aizawa et al.
 5,297,414 A 3/1994 Sainz
 5,343,729 A 9/1994 Saunders
 5,347,839 A 9/1994 Saunders
 5,355,710 A 10/1994 Diekhoff
 D352,004 S 11/1994 Bikoff et al.
 5,388,716 A 2/1995 Stoffel et al.
 5,409,130 A 4/1995 Saunders
 5,433,099 A 7/1995 Katsuhiko et al.
 5,497,900 A 3/1996 Caleffi et al.
 D369,294 S 4/1996 Hirato
 5,544,517 A 8/1996 Shimizu
 5,555,992 A 9/1996 Sedgeley
 5,557,963 A 9/1996 Diekhoff
 5,572,893 A 11/1996 Goda et al.
 D378,016 S 2/1997 Armbruster et al.
 5,622,070 A 4/1997 Bulso, Jr.
 D381,575 S 7/1997 Mahlmann
 D381,913 S 8/1997 Abfier et al.
 5,653,357 A 8/1997 Miyazawa et al.
 5,718,352 A 2/1998 Diekhoff et al.
 5,750,223 A 5/1998 Tada et al.
 5,779,101 A 7/1998 Holmgren et al.
 5,782,375 A 7/1998 McHenry et al.
 5,822,843 A 10/1998 Diekhoff et al.
 6,095,378 A 8/2000 Potts et al.
 6,102,305 A 8/2000 Chapman et al.
 6,182,487 B1 2/2001 Komiya et al.
 D453,003 S 1/2002 Rashid
 6,463,776 B1 10/2002 Enoki et al.
 6,499,329 B1 12/2002 Enoki et al.
 6,585,411 B2 7/2003 Hammarth et al.
 D481,938 S 11/2003 McRae
 D489,987 S 5/2004 Ogata et al.
 D489,988 S 5/2004 Ogata et al.
 D492,599 S * 7/2004 Enoki et al. D9/500
 6,857,304 B2 2/2005 Enoki
 6,907,653 B2 6/2005 Chupak
 6,959,830 B1 11/2005 Kanou et al.

D521,392 S 5/2006 Christ et al.
 7,140,223 B2 11/2006 Chupak
 7,191,032 B2 3/2007 MacEwen et al.
 7,191,632 B2 3/2007 Kanehara et al.
 7,222,757 B2 5/2007 Ferreira et al.
 7,337,646 B2 3/2008 Aoyagi et al.
 7,354,234 B2 4/2008 Fujishige et al.
 7,497,350 B2 3/2009 Enoki et al.
 D604,640 S 11/2009 Renz et al.
 D604,641 S 11/2009 Renz et al.
 7,621,166 B2 11/2009 Ferreira et al.
 7,721,578 B2 5/2010 Enoki et al.
 D620,370 S 7/2010 Kuzma et al.
 D631,758 S * 2/2011 Alvares et al. D9/766
 7,878,040 B2 2/2011 Taya et al.
 8,074,483 B2 12/2011 Kojima et al.
 D658,993 S 5/2012 Gill et al.
 8,286,459 B2 10/2012 Kubo et al.
 D701,464 S 3/2014 Ogata et al.
 D709,370 S * 7/2014 Van Hoof D9/445
 2003/0046971 A1 3/2003 Enoki
 2004/0173560 A1 9/2004 Chupak
 2005/0127077 A1 6/2005 Chupak
 2006/0277957 A1 12/2006 Fujishige et al.
 2007/0051687 A1 3/2007 Olson
 2009/0104390 A1 4/2009 Kubo et al.
 2009/0193866 A1 8/2009 Hamstra
 2009/0223956 A1 9/2009 Matsukawa et al.
 2010/0176224 A1 7/2010 Hasselschwert et al.
 2010/0199741 A1 8/2010 Myers et al.
 2012/0043294 A1 2/2012 Dick et al.

FOREIGN PATENT DOCUMENTS

EP 0684183 11/1995
 EP 740971 11/1996
 EP 2119515 11/2011
 FR 2495507 6/1982
 GB 1259773 1/1972
 GB 1345227 1/1974
 GB 1349059 3/1974
 JP 61206533 9/1986
 JP S63-295028 12/1988
 JP H03-221218 9/1991
 JP H04-351231 12/1992
 JP H08-26354 1/1996
 JP H10-272520 10/1998
 JP H11-722 1/1999
 JP H11-164784 6/1999
 JP H11-169980 6/1999
 JP 2000-190042 7/2000
 JP 2013-107093 6/2013
 WO WO 95/15259 6/1995
 WO WO 96/15865 5/1996
 WO WO 98/20992 5/1998
 WO WO 98/29206 7/1998
 WO WO 2011/053776 5/2011
 WO WO 2012/170618 12/2012

* cited by examiner




FIG.1




FIG. 2




FIG. 3




FIG. 4