



US00D742312S

(12) **United States Design Patent**
Gupta et al.

(10) **Patent No.:** **US D742,312 S**
(45) **Date of Patent:** **** Nov. 3, 2015**

(54) **COMBINATION BATTERY, CHARGER AND CABLES FOR ELECTRONIC EQUIPMENT**

(71) Applicants: **Sumeet Kumar Gupta**, Santa Monica, CA (US); **Joseph Bryant Carrillo**, Los Angeles, CA (US)

(72) Inventors: **Sumeet Kumar Gupta**, Santa Monica, CA (US); **Joseph Bryant Carrillo**, Los Angeles, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/513,788**

(22) Filed: **Jan. 5, 2015**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108; D13/103**

(58) **Field of Classification Search**
USPC D13/103, 107-110, 118-119, 182, 199;
D14/251, 253, 432, 434; 320/107-115
CPC Y02E 60/12; Y02T 90/14; Y02T 90/122;
Y02T 90/128; Y02T 90/163; H02J 7/025;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0003; H01F 38/14; H01R 13/6675;
H01M 2/1022; H01M 2/1055; H01M 10/44;
H01M 10/46; H01M 10/425; B60L 11/182
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D592,138 S *	5/2009	Mahaffey et al.	D13/123
D628,153 S *	11/2010	Fujii et al.	D13/108
D628,535 S *	12/2010	Cheng	D13/108
D656,096 S *	3/2012	Sasada et al.	D13/108
D659,094 S *	5/2012	Brand et al.	D13/108
D663,684 S *	7/2012	Yang	D13/108
D663,685 S *	7/2012	Yang	D13/108

D680,063 S *	4/2013	Sasada	D13/103
D682,196 S *	5/2013	Leung	D13/103
D682,197 S *	5/2013	Leung	D13/103
D697,867 S *	1/2014	Weinstein et al.	D13/108
D713,785 S *	9/2014	Tehrani	D13/108
D715,219 S *	10/2014	Cepress et al.	D13/108
D722,961 S *	2/2015	Lin et al.	D13/108
D727,257 S *	4/2015	Miller et al.	D13/108
D727,258 S *	4/2015	Miller et al.	D13/108
2013/0150134 A1 *	6/2013	Pliner et al.	455/573
2014/0042969 A1 *	2/2014	Miller et al.	320/111
2015/0028797 A1 *	1/2015	Miller et al.	320/103

* cited by examiner

Primary Examiner — Rosemary K Tarca

(74) *Attorney, Agent, or Firm* — QuickPatents; Kevin Prince


(57) **CLAIM**

We claim the ornamental design for a combination battery, charger and cables for electronic equipment, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a combination battery, charger and cables for electronic equipment, showing our new design in an expanded configuration;
FIG. 2 is a rear perspective view of FIG. 1;
FIG. 3 is a front perspective view thereof, illustrated in a retracted configuration;
FIG. 4 is a rear perspective view of FIG. 3;
FIG. 5 is a top plan view of FIG. 3;
FIG. 6 is a bottom plan view of FIG. 3;
FIG. 7 is a right-side elevational view of FIG. 3;
FIG. 8 is a left-side elevational view of FIG. 3;
FIG. 9 is a front elevational view of FIG. 3; and,
FIG. 10 is a rear elevational view of FIG. 3.
The broken lines showing text in the drawings form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10