



US00D742330S

(12) **United States Design Patent**  
**Aeberli et al.**

(10) **Patent No.:** **US D742,330 S**  
(45) **Date of Patent:** **\*\* Nov. 3, 2015**

(54) **DRIVE FOR FIRE DAMPERS**  
(71) Applicant: **BELIMO Holding AG**, Hinwil (CH)  
(72) Inventors: **Daniel Aeberli**, Balterswi (CH);  
**Christoph Rebsamen**, Zürich (CH)  
(73) Assignee: **BELIMO Holding AG**, Hinwil (CH)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/490,225**

(22) Filed: **May 7, 2014**

(30) **Foreign Application Priority Data**

Jan. 15, 2014 (CH) ..... 140469

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/158; D13/112**

(58) **Field of Classification Search**  
USPC ..... D13/112, 113, 158, 162, 174; D15/143;  
318/53, 452  
CPC ..... F16K 31/02; F16K 31/04; F16K 31/045;  
F16K 31/046; F24F 2011/0098; H02P 5/46;  
H05K 5/00; H05K 5/0004; H05K 5/0017;  
H02K 11/00; H02K 11/0073; G05B 19/402;  
G05B 19/414; G05B 2219/42186

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D549,663	S	*	8/2007	Tsou et al.	.....	D13/158
D614,149	S	*	4/2010	Crites et al.	.....	D13/174
D691,948	S	*	10/2013	Dasbach	.....	D13/112
D696,209	S	*	12/2013	Allen et al.	.....	D13/162
2005/0199304	A1	*	9/2005	Poppe et al.	.....	137/870
2008/0051024	A1	*	2/2008	Caliendo et al.	.....	454/369
2008/0173838	A1	*	7/2008	Schmidig et al.	.....	251/129.11
2009/0114862	A1	*	5/2009	Lehnert et al.	.....	251/129.11
2010/0056039	A1	*	3/2010	Weber et al.	.....	454/369
2014/0009087	A1	*	1/2014	Guyer et al.	.....	318/53
2014/0264110	A1	*	9/2014	Wilson et al.	.....	251/129.01

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear LLP


(57) **CLAIM**

The ornamental design for a drive for fire dampers, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and side perspective view of a drive for fire dampers embodying my new design.  
FIG. 2 is a front view thereof.  
FIG. 3 is a back view thereof.  
FIG. 4 is a first side view thereof.  
FIG. 5 is a second side view thereof.  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.  
Broken lines are used to illustrate features of the drive for fire dampers which form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2









FIG. 3




*FIG. 4*



*FIG. 5*



*FIG. 7*



*FIG. 6*