



US00D742362S

(12) **United States Design Patent**
Bonahoom et al.

(10) **Patent No.:** **US D742,362 S**
(45) **Date of Patent:** **** Nov. 3, 2015**

- (54) **PAIR OF EARPHONE LEVERAGE ATTACHMENTS**
- (71) Applicant: **Apple Inc.**, Cupertino, CA (US)
- (72) Inventors: **Rhys Bonahoom**, Hillsborough, CA (US); **Robert Brunner**, San Francisco, CA (US); **Seounghyun Son**, San Francisco, CA (US); **Stephen Steger**, San Francisco, CA (US)
- (73) Assignee: **Apple Inc.**, Cupertino, CA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/504,711**
- (22) Filed: **Oct. 8, 2014**

Related U.S. Application Data

- (63) Continuation of application No. 29/457,923, filed on Jun. 13, 2013, now Pat. No. Des. 716,770.
- (51) **LOC (10) Cl.** **14-01**
- (52) **U.S. Cl.**
USPC **D14/223**; D14/205
- (58) **Field of Classification Search**
USPC D14/205, 223; D24/106, 174; 128/865; 379/430, 431, 428.01, 428.02, 370; 381/380, 381, 312, 328
CPC H04R 25/652
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

1,368,307	A *	2/1921	Waldron	181/129
2,403,418	A *	7/1946	Volkman	181/129
2,468,721	A	4/1949	Volkman		
3,030,458	A *	4/1962	Gongoll	381/371
3,192,326	A *	6/1965	Chapman	379/447

3,702,123	A *	11/1972	Macken et al.	181/135
4,407,389	A *	10/1983	Johnson	181/135
D368,309	S *	3/1996	Narisawa	D24/106
D388,093	S	12/1997	Frengley		
D469,755	S	2/2003	Hlas et al.		
D471,537	S	3/2003	Ham		
D505,132	S *	5/2005	Linville et al.	D14/223
D514,094	S *	1/2006	Griffin	D14/223
D529,901	S	10/2006	Ohta		
D585,429	S	1/2009	Dean		
D617,316	S *	6/2010	Elabidi et al.	D14/223
D618,219	S	6/2010	Burgett et al.		
D619,566	S *	7/2010	Yu	D14/223
D621,817	S	8/2010	Brickstad		
D622,265	S	8/2010	Rye		
D622,704	S	8/2010	Fahrendorff et al.		
D628,188	S	11/2010	Koch		
D628,990	S	12/2010	Pedersen		

(Continued)

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.



(57) **CLAIM**

The ornamental design for a pair of earphone leverage attachments, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a pair of earphone leverage attachments showing our new design;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a top view thereof;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a side view of one of the pair of earphone leverage attachments in an environment in which it may be used;
 FIG. 6 is an opposing side view thereof; and,
 FIG. 7 is a rear view of a pair of earphone leverage attachments in an environment in which it may be used.
 The broken lines in the Figures show environment that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D634,306 S 3/2011 Pedersen
7,949,127 B2* 5/2011 Pedersen et al. 379/430
D640,670 S 6/2011 Rye
7,965,855 B1* 6/2011 Ham 381/380
D641,008 S 7/2011 Lee et al.
D644,212 S 8/2011 Quek
D644,213 S 8/2011 Quek
D645,458 S 9/2011 Silvestri et al.

D647,514 S 10/2011 Wikel et al.
D655,693 S 3/2012 Silvestri et al.
D664,124 S 7/2012 Smith et al.
D699,215 S 2/2014 Koch et al.
D707,201 S * 6/2014 Arjomand D14/205
D712,880 S * 9/2014 Lin D14/223
D716,770 S * 11/2014 Bonahoom et al. D14/223
D729,764 S * 5/2015 Arjomand D14/205
D732,008 S * 6/2015 Akana et al. D14/223
2011/0123059 A1 5/2011 Hu
2011/0255729 A1 10/2011 Tan et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7