

US00D742497S

(12) **United States Design Patent**
D'Amico et al.

(10) **Patent No.:** **US D742,497 S**
(45) **Date of Patent:** **** Nov. 3, 2015**

(54) **ODOR CONTROL CARTRIDGE**

(71) Applicant: **Scent2Market Inc.**, Yonkers, NY (US)

(72) Inventors: **Daniel M. D'Amico**, South Salem, NY (US); **John P. Laitala**, Appleton, WI (US)

(73) Assignee: **Scent2Market Inc.**, Yonkers, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/507,842**

(22) Filed: **Oct. 31, 2014**

(51) **LOC (10) Cl.** **28-99**

(52) **U.S. Cl.**
USPC **D23/366**

(58) **Field of Classification Search**

USPC D23/355–369; D28/5, 6; 261/DIG. 17,
261/DIG. 42, DIG. 65, DIG. 88, DIG. 89;
392/386, 390, 394, 395, 392; 239/34,
239/44, 53, 55, 56, 326; D26/22;
D11/131.1; D7/509; D32/40

CPC A61L 9/00; A61L 9/02; A61L 9/03;
A61L 9/032; A61L 9/035; A61L 9/037;
A61L 9/04; A61L 9/12; A61L 9/22

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,080,687 A * 3/1963 Gross 15/118
3,220,040 A * 11/1965 Knaebe 15/244.1
3,317,944 A * 5/1967 Napier et al. 15/244.1
3,611,468 A * 10/1971 Michael 15/104.93
3,707,012 A * 12/1972 Lane 15/104.93
4,111,666 A * 9/1978 Kalbow 51/295
4,154,883 A * 5/1979 Elias 428/171
4,866,806 A * 9/1989 Bedford 15/104.94
D343,484 S * 1/1994 Moran et al. D32/40
5,312,197 A * 5/1994 Abramson 401/6
5,522,008 A * 5/1996 Bernard 392/392
D417,324 S * 11/1999 Farls D32/40
D447,297 S * 8/2001 Denney D32/40
D447,300 S * 8/2001 Denney D32/40

D506,587 S * 6/2005 Armaly, Jr. D32/40
7,210,188 B1 * 5/2007 Kirby 15/244.4
D578,718 S * 10/2008 Bettanin D32/40
7,454,813 B2 * 11/2008 Kaltenecker 15/244.1
7,543,352 B2 * 6/2009 Schaaf 15/244.4
D667,187 S * 9/2012 Sowinski et al. D32/40
2003/0094186 A1 * 5/2003 Klein 134/6

* cited by examiner

Primary Examiner — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Sutherland Asbill & Brennan LLP

(57) **CLAIM**

The ornamental design for an odor control cartridge, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view showing a first embodiment of an odor control cartridge design;

FIG. 2 is a top plan view of the odor control cartridge design of FIG. 1;

FIG. 3 is an elevated front view of the odor control cartridge design of FIG. 1;

FIG. 4 is an elevated right side view of the odor control cartridge design of FIG. 1;

FIG. 5 is a top plan view of a second embodiment of an odor control cartridge design, wherein an isometric view, an elevated front view and an elevated right side view are represented in FIGS. 1, 3 and 4 respectively;

FIG. 6 is an isometric view showing a third embodiment of an odor control cartridge design;


FIG. 7 is a top plan view of the odor control cartridge design of FIG. 6;

FIG. 8 is an elevated front view of the odor control cartridge design of FIG. 6;

FIG. 9 is an elevated right side view of the odor control cartridge design of FIG. 6; and,

FIG. 10 is a top plan view of a fourth embodiment of an odor control cartridge design, wherein an isometric view, an elevated front view and an elevated right side view are represented in FIGS. 6, 8 and 9 respectively.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10