



US00D742568S

(12) **United States Design Patent** (10) **Patent No.:** **US D742,568 S**
Abernethy (45) **Date of Patent:** **** Nov. 3, 2015**

(54) **LIGHTING DEVICE**

(71) Applicant: **Energizer Brands, LLC**, St. Louis, MO
(US)

(72) Inventor: **Todd B. Abernethy**, Skaneateles, NY
(US)

(73) Assignee: **Energizer Brands LLC**, Saint Louis,
MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/485,920**

(22) Filed: **Mar. 25, 2014**

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/42**

(58) **Field of Classification Search**

USPC D26/37, 40, 41, 44, 46, 49; 362/157,
362/158, 183, 184, 194–196, 200–208
CPC F21V 33/00; F21V 14/025; F21V 21/406;
F21Y 2101/02; F21L 2003/00; F21L 2005/00;
F21L 2/00; F21L 4/00; F21L 4/005; F21L
17/00; F21L 13/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D367,123 S * 2/1996 Blye D26/42
D389,931 S * 1/1998 Kovacik et al. D26/37
D441,888 S * 5/2001 Haneda et al. D26/42
D501,688 S * 2/2005 Kovacik et al. D26/42
D515,721 S * 2/2006 Lin D26/44
D520,164 S 5/2006 Brass et al.
D523,577 S * 6/2006 Bayat et al. D26/42
D526,077 S * 8/2006 Leen D26/42
D538,457 S * 3/2007 Kovacik et al. D26/42
D540,484 S * 4/2007 Bayat et al. D26/42
D541,962 S * 5/2007 Bayat et al. D26/42

D545,469 S * 6/2007 Wikle et al. D26/42
D556,926 S 12/2007 Thirouin
D567,977 S * 4/2008 Jianwei D26/42
D567,978 S * 4/2008 Jianwei D26/42
D592,784 S * 5/2009 van den Dool D26/75
D596,326 S * 7/2009 Jiang D26/42
D626,672 S 11/2010 De Rubertis
D626,673 S * 11/2010 Kovacik et al. D26/42
D643,560 S * 8/2011 Tompkin D26/40
D647,651 S * 10/2011 Leen D26/42
D655,431 S * 3/2012 Leen D26/42
D656,645 S * 3/2012 Houghton D26/42
D661,417 S * 6/2012 Kung D26/42
D684,283 S * 6/2013 Zhou et al. D26/49

(Continued)

FOREIGN PATENT DOCUMENTS

CN 300905670 4/2009
CN 301353798 9/2010

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — McDonald Hopkins LLC

(57)


CLAIM

I claim the ornamental design for a lighting device, as shown
and described.

DESCRIPTION

FIG. 1 is a front perspective view of the design;
FIG. 2 is a rear perspective view of the design;
FIG. 3 is a left side view of the design;
FIG. 4 is a right side view of the design;
FIG. 5 is a front view of the design;
FIG. 6 is a back view of the design;
FIG. 7 is a top view of the design;
FIG. 8 is a bottom view of the design; and,
FIG. 9 is another front perspective view of the design with the
hook extended.

1 Claim, 5 Drawing Sheets



(56)	References Cited				FOREIGN PATENT DOCUMENTS		
	U.S. PATENT DOCUMENTS						
	D689,640	S *	9/2013	Leen D26/44	CN	301618751	7/2011
	D691,310	S	10/2013	Zhou et al.	CN	301744408	11/2011
	D694,445	S *	11/2013	Shiu D26/40	CN	302177699	11/2012
	D703,356	S *	4/2014	Grandadam D26/44	CN	302374861	3/2013
	D707,869	S *	6/2014	Wu D26/46	CN	302620600	10/2013
	D708,376	S *	7/2014	Crowe et al. D26/37	EM	0009574690002	6/2008
	2006/0120090	A1 *	6/2006	Wikle et al. 362/396	EM	0018866980001	7/2011
					RU	00072328	9/2009
					* cited by examiner		




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

Fig. 9

