



US00D742774S

(12) **United States Design Patent**
Jen

(10) **Patent No.:** **US D742,774 S**

(45) **Date of Patent:** **** Nov. 10, 2015**

(54) **ADD-ON DIAL FOR WATCHES, MOBILE PHONES, COMPUTER SCREENS, OR OTHER WEARABLE DISPLAYS**

(71) Applicant: **Gary Guangyu Jen**, Shenzhen (CN)

(72) Inventor: **Gary Guangyu Jen**, Shenzhen (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/461,502**

(22) Filed: **Jul. 24, 2013**

(51) **LOC (10) Cl.** **10-07**

(52) **U.S. Cl.**
USPC **D10/126**

(58) **Field of Classification Search**
USPC D10/30-39, 1-29, 122-132
CPC G04B 19/00; G04B 19/26; G04B 19/264;
G04B 19/20; G04B 19/202; G04B 45/00;
G04B 45/0015; G04C 3/00; A61B 10/00;
A61B 10/0012; A61B 2010/0029
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,011,303	A *	12/1961	Dickinson	368/28
3,595,009	A *	7/1971	Pakter et al.	368/80
3,964,674	A *	6/1976	Van der Gaast	235/88 RC
4,151,831	A *	5/1979	Lester	600/549
4,206,592	A *	6/1980	Maue	368/233
D271,288	S *	11/1983	Bernick	D10/126
D362,644	S *	9/1995	Chen	D10/126
5,515,344	A *	5/1996	Ng	368/10
5,606,535	A *	2/1997	Lynn	368/223
5,903,524	A *	5/1999	Clarke	368/240
6,031,791	A *	2/2000	Thoni	368/80
6,600,696	B1 *	7/2003	Lynn	368/23
D580,808	S *	11/2008	Van Tulder	D10/126

7,494,471	B2 *	2/2009	Alzugaray	600/551
7,609,588	B2 *	10/2009	Tokoro et al.	368/28
7,637,418	B2 *	12/2009	Craig	235/88 RC
D657,704	S *	4/2012	Cerrato	D10/126
2008/0080321	A1 *	4/2008	Dinger	368/80

* cited by examiner

Primary Examiner — Martie K Holtje

(74) *Attorney, Agent, or Firm* — IPro, Inc.; Na Xu

(57) **CLAIM**

The ornamental design for an add-on dial for watches, mobile phones, computer screens or other displays, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a first embodiment of an add-on dial for watches, mobile phones, computer screens or other displays showing my new design;

FIG. 2 is a front elevation view of a FIG. 1 with the indicator in an alternate position;

FIG. 3 is a front elevation view of FIG. 1 shown in use;

FIG. 4 is a front elevation view of a second embodiment of my new design of FIG. 1;

FIG. 5 a front elevation view of FIG. 4 with the indicator in an alternate position;

FIG. 6 is a front elevation view of FIG. 4 shown in use;

FIG. 7 is a front elevation view of a third embodiment of my new design of FIG. 1;

FIG. 8 a front elevation view of FIG. 7 with the indicator in an alternate position;



FIG. 9 is a front perspective view of FIG. 7 shown in use;

FIG. 10 is a front elevation view of a fourth embodiment of my new design of FIG. 1;

FIG. 11 a front elevation view of FIG. 10 with the indicator in an alternate position; and,

FIG. 12 is a front elevation view of FIG. 10 shown in use.

1 Claim, 8 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12