



US00D742995S

(12) **United States Design Patent**
Rye

(10) **Patent No.:** **US D742,995 S**

(45) **Date of Patent:** **** Nov. 10, 2015**

(54) **LINE-GUIDING FISHING HOOK**

Primary Examiner — Catheri Oliver-Garcia

(71) Applicant: **Ryan Patrick Rye**, Lawrenceville, GA
(US)

(57) **CLAIM**

The ornamental design for a “line-guiding fishing hook,” as shown and described.

(72) Inventor: **Ryan Patrick Rye**, Lawrenceville, GA
(US)

DESCRIPTION

(**) Term: **14 Years**

FIG. 1 is a front perspective view of a first embodiment of an ornamental design for a line-guiding fishing hook;
FIG. 2 is a rear perspective view of the first embodiment thereof;
FIG. 3 is a first side view of the first embodiment thereof;
FIG. 4 is a second side view of the first embodiment thereof;
FIG. 5 is a front view of the first embodiment thereof;
FIG. 6 is a rear view of the first embodiment thereof;
FIG. 7 is a top view of the first embodiment thereof; and
FIG. 8 is a bottom view of the first embodiment thereof;
FIG. 9 is a front perspective view of a second embodiment of an ornamental design for a line-guiding fishing hook;
FIG. 10 is a rear perspective view of the second embodiment thereof;
FIG. 11 is a first side view of the second embodiment thereof;
FIG. 12 is a second side view of the second embodiment thereof;
FIG. 13 is a front view of the second embodiment thereof;
FIG. 14 is a rear view of the second embodiment thereof;
FIG. 15 is a top view of the second embodiment thereof; and
FIG. 16 is a bottom view of the second embodiment thereof.
FIG. 17 is a front perspective view of a third embodiment of an ornamental design for a line-guiding fishing hook;
FIG. 18 is a rear perspective view of the third embodiment thereof;
FIG. 19 is a first side view of the third embodiment thereof;
FIG. 20 is a second side view of the third embodiment thereof;
FIG. 21 is a front view of the third embodiment thereof;
FIG. 22 is a rear view of the third embodiment thereof;
FIG. 23 is a top view of the third embodiment thereof; and
FIG. 24 is a bottom view of the third embodiment thereof.
The dashed lines shown in FIGS. 1-24 are for illustrative purposes only; the dashed lines form no part of the claimed design.

(21) Appl. No.: **29/477,209**

(22) Filed: **Dec. 19, 2013**

(51) **LOC (10) Cl.** **22-05**

(52) **U.S. Cl.**
USPC **D22/144**

(58) **Field of Classification Search**
USPC D22/143–144; 43/43.16, 42.43, 4, 6
See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS

3,357,125	A *	12/1967	Jester	43/43.4
3,497,988	A *	3/1970	Childers	43/43.4
3,640,014	A *	2/1972	Gurka	43/42.43
4,060,928	A *	12/1977	Messler et al.	43/43.16
4,232,470	A *	11/1980	Steffick, Jr.	43/43.16
5,373,658	A *	12/1994	Huppert	43/42.39
5,664,364	A *	9/1997	Clark	43/43.16
D392,715	S *	3/1998	Reed	D22/144
D392,716	S *	3/1998	Michael	D22/144
6,779,295	B2 *	8/2004	Davidson	43/43.16
D553,220	S *	10/2007	Merritt	D22/144
D692,977	S *	11/2013	Finley	D22/144
D698,411	S *	1/2014	Bennis	D22/144

* cited by examiner

1 Claim, 17 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24