



US00D743088S

(12) **United States Design Patent**
Snell et al.

(10) **Patent No.:** **US D743,088 S**

(45) **Date of Patent:** **** Nov. 10, 2015**

(54) **LIGHT FIXTURE**

(71) Applicant: **Cree, Inc.**, Durham, NC (US)

(72) Inventors: **Nathan Snell**, Raleigh, NC (US); **James Michael Lay**, Apex, NC (US)

(73) Assignee: **Cree, Inc.**, Durham, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/489,833**

(22) Filed: **May 2, 2014**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/92**

(58) **Field of Classification Search**
USPC D26/67-72, 92
CPC F21S 8/08; F21S 8/085; F21S 8/086;
F21S 8/088; F21V 21/13
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


D391,659 S * 3/1998 Gaskins et al. D26/71
D501,947 S * 2/2005 Haugaard et al. D26/71

(Continued)

OTHER PUBLICATIONS

Philips Gardco "Redefining value with outstanding performance: Philips Gardco EcoForm LED site and area luminaire," brochure dated Aug. 2013, pp. 1-11, PGc-1303BR, Philips Lighting Company Somerset, NJ and Markham ON Canada, www.philips.com/luminaires.

(Continued)



Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Jansson Munger McKinley & Shape Ltd.


(57) **CLAIM**

The ornamental design for a light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from below of the light fixture, light-engine details being shown in phantom lines; FIG. 2 is a perspective view from above of the light fixture of FIG. 1, heat-sink fins being shown in phantom lines; FIG. 3 is a bottom plan view of the light fixture of FIG. 1; FIG. 4 is a top plan view of the light fixture of FIG. 1; FIG. 5 is a right-side elevation of the light fixture of FIG. 1; FIG. 6 is a left-side elevation of the light fixture of FIG. 1; FIG. 7 is a front elevation of the light fixture of FIG. 1; FIG. 8 is a rear elevation of the light fixture of FIG. 1; FIG. 9 is a perspective view from below of a second embodiment of the lighting fixture, the primary difference being the a greater length of the heat sink, light-engine details being shown in phantom lines; FIG. 10 is a perspective view from above of the light fixture of FIG. 9, heat-sink fins being shown in phantom lines; FIG. 11 is a bottom plan view of the light fixture of FIG. 9; FIG. 12 is a top plan view of the light fixture of FIG. 9; FIG. 13 is a right-side elevation of the light fixture of FIG. 9; FIG. 14 is a left-side elevation of the light fixture of FIG. 9; FIG. 15 is a front elevation of the light fixture of FIG. 9; and, FIG. 16 is a rear elevation of the light fixture of FIG. 9. The phantom lines are provided for illustrative purposes only and form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D531,342	S *	10/2006	Kauffman et al.	D26/68
D607,593	S *	1/2010	Yoo	D26/71
D609,384	S *	2/2010	Gray et al.	D26/71
7,798,684	B2	9/2010	Boissevain	
D627,093	S *	11/2010	Shiau et al.	D26/71
8,029,151	B2 *	10/2011	Butler	362/20
8,070,306	B2	12/2011	Ruud	
D652,557	S *	1/2012	Boissevain et al.	D26/71
D652,978	S *	1/2012	Boissevain et al.	D26/71
D672,492	S *	12/2012	Butler et al.	D26/71
8,414,155	B2 *	4/2013	Catone et al.	362/249.03
8,485,684	B2 *	7/2013	Lou et al.	362/217.05
D688,404	S *	8/2013	Boissevain et al.	D26/71
D689,233	S *	9/2013	Boissevain et al.	D26/71
D713,583	S *	9/2014	Yu	D26/71
8,851,711	B2 *	10/2014	Ladewig et al.	362/294
2012/0025711	A1	2/2012	Best	
2013/0077311	A1	3/2013	Kinnune	
2013/0088882	A1	4/2013	Guercio	
2013/0265761	A1	10/2013	Kinnune	
2014/0049961	A1	2/2014	Wilcox	

OTHER PUBLICATIONS

Philips Gardco "Pure in Form and Function, Defining Performance: PureForm Specification Grade LED Luminaires," brochure dated Sep. 2013, pp. 1-23, PGc-1314BR, Philips Lighting Company Somerset, NJ and Markham ON Canada, www.philips.com/luminaires.

Sensity Systems, Inc., "LED Roadway Luminaire Citadel Series," brochure dated Mar. 25, 2014, 2 pages, www.sensity.com. Sensity Systems, Inc., Sunnyvale, CA.

Sensity Systems, Inc., "LED Luminaire & Retrofit Solutions," brochure dated Sep. 27, 2013, 2 pages, www.sensity.com, Sensity Systems, Inc., Sunnyvale, CA.

Installation Instructions, LEDR Series Horizontal Luminaires, Part No. 057-77-72397, 2 pages, Jun. 18, 2009, American Electric Lighting, a division of Acuity Lighting Group, Inc., Newark, OH.

Kirium IP66, IK09, Class 1, brochure, 5 pages, Feb. 2014, DW Windsor Lighting, Hoddesdon, Hertfordshire, UK, www.dwwindsor.com.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16