



US00D743213S

(12) **United States Design Patent**  
**Eide et al.**

(10) **Patent No.:** **US D743,213 S**

(45) **Date of Patent:** **\*\* Nov. 17, 2015**

(54) **PLATE**

(75) Inventors: **Annbjorg Eide**, Elmira, NY (US);  
**Robin Hugh Levien**, London (GB);  
**Timothy Kern Virkus**, Painted Post, NY  
(US)

(73) Assignee: **WKI HOLDING COMPANY, INC.**,  
Rosemont, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/415,469**

(22) Filed: **Mar. 10, 2012**

(51) **LOC (10) Cl.** ..... **07-01**

(52) **U.S. Cl.**  
USPC ..... **D7/564**

(58) **Field of Classification Search**  
USPC ..... D7/396.5, 582, 396.4, 551.2, 576, 567,  
D7/544, 564, 585; 220/574, 571, 575  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D38,872 S	11/1907	Walter	
D40,760 S	7/1910	Silsbee	
D40,860 S *	9/1910	Ahrenfeldt	D7/570
D43,569 S	2/1913	Heinzelman	
D48,596 S	2/1916	Lockett	
D50,365 S	2/1917	Sullivan	
D52,413 S	9/1918	Sullivan	
D67,869 S	7/1925	Boswell	
1,589,558 A *	6/1926	Reizenstein	220/574
D82,635 S	11/1930	Ufford	
D82,953 S	12/1930	Payne, Jr.	
D87,505 S	8/1932	Brown	
2,032,835 A *	3/1936	Collins	220/574.3
D107,412 S	12/1937	Farber	
D121,156 S	6/1940	Darrow	
D130,910 S	12/1941	Bahl	

D139,077 S	10/1944	Ruskin	
D146,019 S	12/1946	Dreitzer	
D160,517 S *	10/1950	McKaig	D7/585
D167,741 S	9/1952	Cowan	
D178,571 S *	8/1956	Inoue	D7/585
D179,011 S *	10/1956	Kimble	D7/585
D180,261 S	5/1957	Arbeit	
D181,328 S	10/1957	Szymanski	
D181,383 S	11/1957	Terano	
D181,388 S	11/1957	Terano	
D182,550 S	4/1958	Terano	
D186,039 S	9/1959	McKaig	
D187,148 S	2/1960	Masuda	
D187,157 S *	2/1960	Anderson	D7/570
D194,926 S	4/1963	Masuda	
D194,933 S	4/1963	Masuda	
D199,754 S	12/1964	Sugiyama	
D200,484 S	3/1965	Uda	
D201,506 S	6/1965	Masuda	
D205,144 S	6/1966	O'Neil	

(Continued)

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Rashida C McCoy

(74) *Attorney, Agent, or Firm* — McDermott Will & Emery  
LLP


(57) **CLAIM**

We claim the ornamental design for a plate, as shown and described.

**DESCRIPTION**

FIG. 1 is a first perspective view of a plate according to the present invention;  
FIG. 2 is a second perspective view of the plate of FIG. 1;  
FIG. 3 is a top plan view of the plate of FIG. 1;  
FIG. 4 is a front elevation view of the lid of FIG. 1, the rear elevation view, and side elevation views being identical images thereof; and,  
FIG. 5 is a bottom plan view of the lid of FIG. 1.  
The broken lines form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)


**References Cited**

U.S. PATENT DOCUMENTS


D210,843 S 4/1968 Takeoka  
D245,942 S 9/1977 Rothstein  
D266,814 S 11/1982 Myodo  
D274,969 S 8/1984 Unger  
D276,782 S 12/1984 Unger  
D278,589 S 4/1985 Colquitt  
D281,046 S 10/1985 Zughaib  
D281,661 S 12/1985 Unger

D281,848 S 12/1985 Murai  
D299,605 S 1/1989 Durand  
D313,333 S 1/1991 Unger  
D342,190 S 12/1993 Devitt  
D461,101 S \* 8/2002 Garbo ..... D7/554.2  
D467,126 S \* 12/2002 Bradley ..... D7/565  
D497,286 S \* 10/2004 Penrod et al. .... D7/562  
D504,282 S \* 4/2005 McMullin ..... D7/545  
D546,628 S \* 7/2007 Koennecke ..... D7/562  
D630,473 S 1/2011 Poppie  
D702,504 S \* 4/2014 Tibbets ..... D7/566


\* cited by examiner



*FIG. 1*




*FIG. 2*



*FIG. 3*



*FIG. 4*



*FIG. 5*