



US00D743266S

(12) **United States Design Patent**
Rathbone et al.

(10) **Patent No.:** **US D743,266 S**

(45) **Date of Patent:** **** Nov. 17, 2015**

(54) **CONTAINER**

(71) Applicant: **The Folger Coffee Company**, Orrville, OH (US)

(72) Inventors: **Jonathan Edward Rathbone**, Chicago, IL (US); **Christopher Steven Hart**, Chicago, IL (US)

(73) Assignee: **The Folger Coffee Company**, Orrville, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/517,075**

(22) Filed: **Feb. 10, 2015**

Related U.S. Application Data

(62) Division of application No. 29/413,105, filed on Feb. 10, 2012, now Pat. No. Des. 726,020.

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/543**; D9/529

(58) **Field of Classification Search**
USPC D9/414, 424–425, 428, 516, 529–531, D9/533, 535, 543, 564–565, 571, 575, 420, D9/423, 434–435, 572, 715; D7/316–317, D7/598, 601–602, 612, 629, 691; D10/46.2; 215/379, 381–384; 220/660, 220/669, 675

CPC B65D 1/00; B65D 1/10; B65D 1/40; B65D 23/00; B65D 23/40; B65D 23/102; B65D 25/00; B65D 25/28; B65D 25/2882; B65D 25/2897; B65D 23/10; B65D 25/2885; B65D 2501/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D181,621 S	*	12/1957	Blod	D7/317
D185,736 S	*	7/1959	Cole	D7/612
D199,037 S	*	9/1964	Jackson et al.	D7/691
D289,377 S	*	4/1987	Ashby et al.	D9/529
D311,334 S	*	10/1990	Flynn et al.	D9/424
D311,665 S	*	10/1990	Carlson	D7/629
D369,755 S	*	5/1996	Burcham et al.	D10/46.2
D428,810 S	*	8/2000	Lowry et al.	D9/432
D482,274 S		11/2003	Brock et al.		

(Continued)

Primary Examiner — Dana L Meyrow

(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold, LLP



(57) **CLAIM**

We claim the ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a front/right/top perspective view of a first embodiment of the container;
FIG. 2 is a rear/right/bottom perspective view thereof;
FIG. 3 is a right side elevational view thereof, for which a left side elevational view would be a mirror image thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof; and
FIG. 7 is a bottom plan view thereof.
FIG. 8 is a front/right/top perspective view of a second embodiment of the container;
FIG. 9 is a rear/right/bottom perspective view thereof;
FIG. 10 is a right side elevational view thereof, for which a left side elevational view would be a mirror image thereof;
FIG. 11 is a front elevational view thereof;
FIG. 12 is a rear elevational view thereof;
FIG. 13 is a top plan view thereof; and,
FIG. 14 is a bottom plan view thereof.
The dash-dot lines show the bounds of the invention and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



US D743,266 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D545,186 S * 6/2007 Liebe et al. D9/420
D552,468 S * 10/2007 Seum et al. D9/420
D553,988 S * 10/2007 Perry et al. D9/516
D555,487 S * 11/2007 Perry et al. D9/543

D578,401 S * 10/2008 Perry et al. D9/543
D600,131 S * 9/2009 Perry et al. D9/543
D605,041 S * 12/2009 Perry et al. D9/516
D642,928 S * 8/2011 Lundin D9/560
D726,020 S * 4/2015 Rathbone et al. D9/543

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14