



US00D743266S

(12) **United States Design Patent**  
**Rathbone et al.**

(10) **Patent No.:** **US D743,266 S**

(45) **Date of Patent:** **\*\* Nov. 17, 2015**

(54) **CONTAINER**

(71) Applicant: **The Folger Coffee Company**, Orrville, OH (US)

(72) Inventors: **Jonathan Edward Rathbone**, Chicago, IL (US); **Christopher Steven Hart**, Chicago, IL (US)

(73) Assignee: **The Folger Coffee Company**, Orrville, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/517,075**

(22) Filed: **Feb. 10, 2015**

**Related U.S. Application Data**

(62) Division of application No. 29/413,105, filed on Feb. 10, 2012, now Pat. No. Des. 726,020.

(51) **LOC (10) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/543**; D9/529

(58) **Field of Classification Search**  
USPC ..... D9/414, 424–425, 428, 516, 529–531, D9/533, 535, 543, 564–565, 571, 575, 420, D9/423, 434–435, 572, 715; D7/316–317, D7/598, 601–602, 612, 629, 691; D10/46.2; 215/379, 381–384; 220/660, 220/669, 675

CPC ..... B65D 1/00; B65D 1/10; B65D 1/40; B65D 23/00; B65D 23/40; B65D 23/102; B65D 25/00; B65D 25/28; B65D 25/2882; B65D 25/2897; B65D 23/10; B65D 25/2885; B65D 2501/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D181,621 S *	12/1957	Blod .....	D7/317
D185,736 S *	7/1959	Cole .....	D7/612
D199,037 S *	9/1964	Jackson et al. ....	D7/691
D289,377 S *	4/1987	Ashby et al. ....	D9/529
D311,334 S *	10/1990	Flynn et al. ....	D9/424
D311,665 S *	10/1990	Carlson .....	D7/629
D369,755 S *	5/1996	Burcham et al. ....	D10/46.2
D428,810 S *	8/2000	Lowry et al. ....	D9/432
D482,274 S	11/2003	Brock et al.	

(Continued)

*Primary Examiner* — Dana L Meyrow

(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold, LLP

(57) **CLAIM**

We claim the ornamental design for a container, as shown and described.

**DESCRIPTION**

FIG. 1 is a front/right/top perspective view of a first embodiment of the container;

FIG. 2 is a rear/right/bottom perspective view thereof;

FIG. 3 is a right side elevational view thereof, for which a left side elevational view would be a mirror image thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a top plan view thereof; and

FIG. 7 is a bottom plan view thereof.

FIG. 8 is a front/right/top perspective view of a second embodiment of the container;

FIG. 9 is a rear/right/bottom perspective view thereof;

FIG. 10 is a right side elevational view thereof, for which a left side elevational view would be a mirror image thereof;

FIG. 11 is a front elevational view thereof;



FIG. 12 is a rear elevational view thereof;

FIG. 13 is a top plan view thereof; and,

FIG. 14 is a bottom plan view thereof.

The dash-dot lines show the bounds of the invention and form no part of the claimed design.

**1 Claim, 14 Drawing Sheets**



# US D743,266 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

D545,186 S \* 6/2007 Liebe et al. .... D9/420  
D552,468 S \* 10/2007 Seum et al. .... D9/420  
D553,988 S \* 10/2007 Perry et al. .... D9/516  
D555,487 S \* 11/2007 Perry et al. .... D9/543

D578,401 S \* 10/2008 Perry et al. .... D9/543  
D600,131 S \* 9/2009 Perry et al. .... D9/543  
D605,041 S \* 12/2009 Perry et al. .... D9/516  
D642,928 S \* 8/2011 Lundin ..... D9/560  
D726,020 S \* 4/2015 Rathbone et al. .... D9/543

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14