



US00D743287S

(12) **United States Design Patent**
Brindle

(10) **Patent No.:** **US D743,287 S**

(45) **Date of Patent:** **** Nov. 17, 2015**

(54) **SAFETY BEACON LIGHT**

(71) Applicant: **Ronald Irving Brindle**, Huntington Beach, CA (US)

(72) Inventor: **Ronald Irving Brindle**, Huntington Beach, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/508,031**

(22) Filed: **Nov. 2, 2014**

(51) **LOC (10) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/114.2**

(58) **Field of Classification Search**
USPC D10/111, 113.1, 113.4, 109.1,
D10/114.1–114.2, 114.4, 107; D26/97, 91,
D26/28, 37
CPC F21Y 2105/001; F21W 2111/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D410,862 S * 6/1999 Mihov D10/113.2
D468,059 S * 12/2002 Fuller D28/85

D536,812 S * 2/2007 Bayat et al. D26/37
D551,561 S * 9/2007 Bieger et al. D9/561
D656,648 S * 3/2012 Tompkin D26/46
D670,844 S * 11/2012 von Waldthausen D26/46

* cited by examiner

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — William L. Chapin

(57) **CLAIM**

The ornamental design for a safety beacon light, as shown and described.

DESCRIPTION

FIG. 1 is a left front perspective view of a safety beacon light according to the present invention.
FIG. 2 is a front elevation view thereof.
FIG. 3 is a left side elevation view thereof, the right side elevation view being a mirror image thereof.
FIG. 4 is a rear elevation view thereof.
FIG. 5 is an upper plan view thereof; and,
FIG. 6 is a lower plan view thereof.
The broken line showing of a bracket is included for the purpose of illustrating portions of the “article” and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

