



US00D743561S

(12) **United States Design Patent**
Maisch

(10) **Patent No.:** **US D743,561 S**

(45) **Date of Patent:** **** Nov. 17, 2015**

(54) **TRAINING CHASSIS FOR
FEEDBACK-TRAINING**

(71) Applicant: **Pixformance Sports GmbH**, Berlin
(DE)

(72) Inventor: **Daniel Maisch**, Wurzburg (DE)

(73) Assignee: **Pixformance Sports GmbH**, Berlin
(DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/481,296**

(22) Filed: **Feb. 4, 2014**

(30) **Foreign Application Priority Data**

Aug. 13, 2013 (DE) 002290908-0001

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/186**

(58) **Field of Classification Search**

USPC D24/168, 186-187, 200, 172, 188, 165,
D24/216, 164, 110; 601/15, 71; 600/372,
600/382, 383, 386-394, 544, 554, 528,
600/484; 607/45, 46, 115, 139, 141, 104;
D14/126, 127, 129, 336, 375, 203.8,
D14/371, 377, 378, 381; D6/308, 310;
128/204.18

CPC A61H 2201/0207; A61H 23/0263;
A61B 5/0408; A61B 5/04085; A61B 5/0478;
A61B 5/04082; A61B 5/6831; A61B 5/04087;
A61B 3/16; A61B 3/165; A61B 5/0476;
A61B 5/05; A61B 7/04; A61B 5/0205;
A61N 1/3605; A61N 1/36021; A61N 1/05;
A61N 1/0472; A61N 1/0408; A61F 7/02;
A63B 69/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D286,641 S *	11/1986	Gundogan	D14/377
D292,213 S *	10/1987	Nezu et al.	D14/377
D309,732 S *	8/1990	Nuttall et al.	D14/377
D310,358 S *	9/1990	Nuttall et al.	D14/377
D321,179 S *	10/1991	Oyama	D14/377
D322,063 S *	12/1991	Oyama	D14/377
D346,594 S *	5/1994	Skaggs et al.	D14/375
D421,747 S *	3/2000	Takizawa	D14/126
D433,394 S *	11/2000	Suzuki	D14/126
D477,084 S *	7/2003	Menezes et al.	D24/172
D477,601 S *	7/2003	Liao	D14/371
D491,935 S *	6/2004	Chin et al.	D14/336
D491,943 S *	6/2004	Whitehorn et al.	D14/375

(Continued)

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a training chassis for feedback-training, as shown and described.


DESCRIPTION

FIG. 1 is a front, upper, left, perspective view of training chassis for feedback-training showing my new design; FIG. 2 is a rear, upper, right perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a right elevational view thereof; FIG. 5 is a left elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is an upper plan view thereof; and, FIG. 8 is a lower plan view thereof.

The broken lines are included for the purpose of illustrating portions of the training chassis for feedback-training that form no part of the claimed design.

In a preferred embodiment, the nature of this product is as an interactive training device in which the user is filmed by a camera integrated above the screen and the user's image is displayed on the monitor. While various training units are carried out, the device provides corresponding instructions for movement optimization to the user.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D529,004 S *	9/2006	Flagiello	D14/126	D587,663 S *	3/2009	Cometti	D14/126
D529,005 S *	9/2006	Hong	D14/126	D588,702 S *	3/2009	Cirelli	D24/188
D532,398 S *	11/2006	Naruo	D14/129	D598,551 S *	8/2009	Miwa et al.	D24/186
D533,857 S *	12/2006	Bradley	D14/126	D609,344 S *	2/2010	Hara	D24/165
D541,238 S *	4/2007	Smith	D14/126	D619,560 S *	7/2010	Ho	D14/203.8
D545,782 S *	7/2007	Schiller et al.	D14/126	D647,209 S *	10/2011	Muller et al.	D24/216
D549,675 S *	8/2007	Yoon et al.	D14/129	D651,185 S *	12/2011	Andresen	D14/129
D563,405 S *	3/2008	Taniho et al.	D14/336	D651,319 S *	12/2011	Hara	D24/165
D580,384 S *	11/2008	Katayama et al.	D14/126	D699,356 S *	2/2014	Patil	D24/164
				D703,311 S *	4/2014	Daly	D24/110
				D705,190 S *	5/2014	Shigeno et al.	D14/186
				2010/0148458 A1 *	6/2010	Ross et al.	128/204.18

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8