



US00D743611S

(12) **United States Design Patent**
Wouters et al.

(10) **Patent No.:** **US D743,611 S**

(45) **Date of Patent:** **** Nov. 17, 2015**

(54) **LUMINAIRE**

(71) Applicant: **City Electric Supply Co.**, Orlando, FL (US)

(72) Inventors: **Thomas Wouters**, Stuart, FL (US);
Jordan McGinn, Port Saint Lucie, FL (US); **Francis Paul McShane**, Palm City, FL (US)

(73) Assignee: **CITY ELECTRIC SUPPLY CO.**, Orlando, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/502,109**

(22) Filed: **Sep. 11, 2014**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/83; D26/80; D26/89**

(58) **Field of Classification Search**
USPC D26/72, 80, 82, 83, 84, 85, 86, 89, 118,
D26/120, 128-137
CPC F21S 8/03; F21S 8/033; F21S 8/04;
F21V 3/04; F21V 3/0418; F21V 3/0427;
F21V 3/0436; F21V 3/0445; F21V 21/02;
F21V 21/03; F21V 29/506; F21V 5/045;
F21V 7/04; F21V 11/06; F21V 3/049
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,999 S *	9/1975	Tongson	362/360
D238,295 S *	12/1975	Tongson	D26/134
D238,389 S *	1/1976	Tongson	D26/137
D242,378 S *	11/1976	Leung	D26/137
D242,379 S *	11/1976	Leung	D26/134
D286,445 S *	10/1986	Sink	D26/86
D544,131 S *	6/2007	Blackman	D26/85
D548,871 S *	8/2007	Almer	D26/85
D586,029 S *	2/2009	Copeland	D26/76
D683,884 S *	6/2013	Kim	D26/84

D683,885 S *	6/2013	Kim	D26/84
D690,051 S *	9/2013	Sabernig	D26/85
D690,052 S *	9/2013	Sabernig	D26/118

* cited by examiner

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Abelman, Frayne & Schwab

(57) **CLAIM**

The ornamental design for luminaire, as shown and described.

DESCRIPTION

FIG. 1 is a bottom, front and left side perspective view of the luminaire showing the new design; FIG. 2 is a left side elevation thereof; the right side elevation being a mirror image thereof; FIG. 3 is a front elevation thereof; the rear elevation being a mirror image thereof; FIG. 4 is a bottom plan thereof; FIG. 5 is a left side elevation of a second embodiment of the new design, the right side elevation being a mirror image thereof; FIG. 6 is a front elevation thereof; the rear elevation being a mirror image thereof; FIG. 7 is a bottom plan thereof; FIG. 8 is a left side elevation of a third embodiment of the new design, the right side elevation being a mirror image thereof; FIG. 9 is a front elevation thereof; the rear elevation being a mirror image thereof; and, FIG. 10 is a bottom plan thereof.

The broken lines represent portions of the luminaire that form no part of the claimed design.

A plurality of very small circles representing separate light sources, e.g., light emitting diodes, are shown on each of the bands of the ornamental design. Because it is impractical to present these very small elements in broken lines, it is applicants' intent that these small circles, their positioning and their placement constitute portions of the luminaire that form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10