



US00D743616S

(12) **United States Design Patent**
Covert(10) **Patent No.:** **US D743,616 S**
(45) **Date of Patent:** **** Nov. 17, 2015**(54) **FLASHLIGHT CADDY**(71) Applicant: **Shawn Covert**, Wister, OK (US)(72) Inventor: **Shawn Covert**, Wister, OK (US)(***) Term: **14 Years**(21) Appl. No.: **29/458,841**(22) Filed: **Jun. 24, 2013**

D338,338	S	*	8/1993	Zaglin	D3/299
5,246,153	A		9/1993	Beletsky	
5,412,545	A		5/1995	Rising	
5,429,075	A		7/1995	Passarella et al.	
D374,769	S	*	10/1996	Case	D3/229
D374,770	S	*	10/1996	Case	D3/229
5,567,039	A		10/1996	Sims	
D377,118	S	*	1/1997	Carbone et al.	D3/228
D381,805	S	*	8/1997	Case	D3/229
6,016,944	A		1/2000	Girbert	
6,155,471	A		12/2000	Lichtenberger	
6,250,769	B1		6/2001	Kirk	
D485,677	S	*	1/2004	Harris et al.	D3/215

(Continued)

Primary Examiner — Ian Simmons*Assistant Examiner* — Carissa C Fitts(74) *Attorney, Agent, or Firm* — Head, Johnson & Kachigian, P.C.(57) **CLAIM**

The ornamental design for a flashlight caddy, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the flashlight caddy showing my new design;

FIG. 2 is a front view of the flashlight caddy;

FIG. 3 is a back view of the flashlight caddy;

FIG. 4 is a top view of the flashlight caddy;

FIG. 5 is a bottom view of the flashlight caddy;

FIG. 6 is a side view of the flashlight caddy, where the right side view and the left side view are mirror images of each other; and,

FIG. 7 is a front view of the flashlight caddy with the flashlight caddy shown in an open position.

The strap and flashlight shown in large broken lines are for environmental purposes only and form no part of the claimed design. The smaller dashed lines along the inner perimeter of the flashlight caddy are stitching and do form part of the claimed design.


1 Claim, 4 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

1,601,963	A	10/1926	Arth
2,500,257	A	3/1950	Mahan
2,614,206	A	10/1952	Goad
3,797,715	A	3/1974	Scialdone
3,847,315	A	11/1974	Bianchi
4,260,089	A	4/1981	Daleo
D293,628	S	*	1/1988
D305,803	S	*	1/1990
4,984,724	A	1/1991	Teachey
			D3/229
			Sutcliffe
			D26/140



(56)	References Cited				
	U.S. PATENT DOCUMENTS				
D501,989	S *	2/2005	Cook et al.	D3/215	7,389,899 B2 6/2008 Johnson
D503,039	S *	3/2005	Cook et al.	D3/229	D605,400 S * 12/2009 Matt D3/229
D510,479	S *	10/2005	Ellis	D3/215	8,308,033 B2 * 11/2012 Case et al. 224/200
D550,957	S *	9/2007	Erickson et al.	D3/229	2005/0057921 A1 3/2005 Menosky
D562,548	S *	2/2008	Martin	D3/215	2005/0255791 A1 11/2005 Fildan et al.
					2006/0169534 A1 8/2006 Green
					2007/0284404 A1 12/2007 Badillo et al.
					2009/0140016 A1 6/2009 Case et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7