



US00D743616S

(12) **United States Design Patent**
Covert

(10) **Patent No.:** **US D743,616 S**
(45) **Date of Patent:** **** Nov. 17, 2015**

(54) **FLASHLIGHT CADDY**

(71) Applicant: **Shawn Covert**, Wister, OK (US)

(72) Inventor: **Shawn Covert**, Wister, OK (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/458,841**

(22) Filed: **Jun. 24, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 13/107,571,
filed on May 13, 2011, now abandoned.

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**

USPC **D26/113**; D3/229

(58) **Field of Classification Search**

USPC D26/38, 39, 113; D3/229, 228, 215,
D3/207-212, 224, 226, 221; 224/247, 240,
224/245, 219, 222, 267, 269, 665, 901.8,
224/914; 2/170-171

CPC A45C 15/06; A45C 15/00; A45C
2007/0009; A45C 11/00; F21V 33/00; F21V
14/025; F21V 21/406; F21Y 2101/02; F21L
2003/00; F21L 2005/00; F21L 2/00; F21L
4/00; F21L 4/005; F21L 17/00; F21L 13/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,601,963	A	10/1926	Arth	
2,500,257	A	3/1950	Mahan	
2,614,206	A	10/1952	Goad	
3,797,715	A	3/1974	Scialdone	
3,847,315	A	11/1974	Bianchi	
4,260,089	A	4/1981	Daleo	
D293,628	S *	1/1988	Teachey	D3/229
D305,803	S *	1/1990	Sutcliffe	D26/140
4,984,724	A	1/1991	Johnston	

D338,338	S *	8/1993	Zaglin	D3/299
5,246,153	A	9/1993	Beletsky	
5,412,545	A	5/1995	Rising	
5,429,075	A	7/1995	Passarella et al.	
D374,769	S *	10/1996	Case	D3/229
D374,770	S *	10/1996	Case	D3/229
5,567,039	A	10/1996	Sims	
D377,118	S *	1/1997	Carbone et al.	D3/228
D381,805	S *	8/1997	Case	D3/229
6,016,944	A	1/2000	Girbert	
6,155,471	A	12/2000	Lichtenberger	
6,250,769	B1	6/2001	Kirk	
D485,677	S *	1/2004	Harris et al.	D3/215

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Head, Johnson &
Kachigian, P.C.

(57)

CLAIM

The ornamental design for a flashlight caddy, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of the flashlight caddy showing
my new design;

FIG. 2 is a front view of the flashlight caddy;

FIG. 3 is a back view of the flashlight caddy;

FIG. 4 is a top view of the flashlight caddy;


FIG. 5 is a bottom view of the flashlight caddy;

FIG. 6 is a side view of the flashlight caddy, where the right
side view and the left side view are mirror images of each
other; and,

FIG. 7 is a front view of the flashlight caddy with the flash-
light caddy shown in an open position.

The strap and flashlight shown in large broken lines are for
environmental purposes only and form no part of the claimed
design. The smaller dashed lines along the inner perimeter of
the flashlight caddy are stitching and do form part of the
claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D501,989 S * 2/2005 Cook et al. D3/215

D503,039 S * 3/2005 Cook et al. D3/229

D510,479 S * 10/2005 Ellis D3/215

D550,957 S * 9/2007 Erickson et al. D3/229

D562,548 S * 2/2008 Martin D3/215

7,389,899 B2 6/2008 Johnson

D605,400 S * 12/2009 Matt D3/229

8,308,033 B2 * 11/2012 Case et al. 224/200

2005/0057921 A1 3/2005 Menosky

2005/0255791 A1 11/2005 Fildan et al.

2006/0169534 A1 8/2006 Green

2007/0284404 A1 12/2007 Badillo et al.

2009/0140016 A1 6/2009 Case et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7