



US00D743935S

(12) **United States Design Patent**
Wapler et al.

(10) **Patent No.:** **US D743,935 S**

(45) **Date of Patent:** **** Nov. 24, 2015**

(54) **HEADSET**

(71) Applicant: **Stryker European Holdings I, LLC**,
Kalamazoo, MI (US)

(72) Inventors: **Matthias Wapler**, Kirchzarten (DE);
Sascha Kubis, Freiburg (DE)

(73) Assignee: **STRYKER EUROPEAN HOLDINGS,**
I, LLC, Kalamazoo, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/511,445**

(22) Filed: **Dec. 10, 2014**

(30) **Foreign Application Priority Data**

Nov. 5, 2014 (EM) 001424378-0007

(51) **LOC (10) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/205**

(58) **Field of Classification Search**
USPC D14/205, 223; D16/309, 315, 340;
D29/103, 107, 110; 181/129, 130, 135;
379/430, 431; 381/380, 381; D24/140,
D24/150; 351/158

CPC H04R 1/1016
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,560,669 A * 7/1951 Vaca 2/10
D207,919 S * 6/1967 Fai D16/309
D269,611 S * 7/1983 Saito D14/205

4,856,089 A * 8/1989 Horton 455/351
D306,164 S * 2/1990 Johnson et al. D14/154
5,020,150 A * 5/1991 Shannon 455/343.1
D342,080 S * 12/1993 Cargle D16/309
D352,300 S * 11/1994 Gales D16/309
D397,334 S * 8/1998 Larian D14/372
6,105,714 A * 8/2000 Lindgren 181/135
D443,864 S * 6/2001 Obata D14/126
6,762,885 B1 * 7/2004 Ogasawara et al. 359/630
D550,202 S * 9/2007 Meier et al. D14/206
D579,442 S * 10/2008 Kim et al. D14/205
D587,680 S * 3/2009 Komiyama D14/205
D594,442 S * 6/2009 Chon et al. D14/205
7,900,281 B2 * 3/2011 Wozniak 2/448
D658,812 S * 5/2012 Miller et al. D29/107
D678,858 S * 3/2013 Feng et al. D14/205
D690,681 S * 10/2013 Ito et al. D14/205
D691,105 S * 10/2013 Ito et al. D14/205
D703,634 S * 4/2014 Han D14/205
2002/0051115 A1 * 5/2002 Yoshimura et al. 351/110

* cited by examiner

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Howard & Howard
Attorneys PLLC



(57) **CLAIM**

The ornamental design for a headset, as shown and described.

DESCRIPTION

FIG. 1 is a right-side view of a headset comprising a pair of wires, a pair of ear plugs, and a support plate;
FIG. 2 is a top view of the headset;
FIG. 3 is a left-side view of the headset;
FIG. 4 is a bottom view of the headset;
FIG. 5 is a front view of the headset; and,
FIG. 6 is a rear view of the headset.

1 Claim, 6 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3





FIG. 4






FIG. 5




FIG. 6