



US00D744128S

(12) **United States Design Patent**  
**Li**

(10) **Patent No.:** **US D744,128 S**

(45) **Date of Patent:** **\*\* Nov. 24, 2015**

(54) **ELECTRONIC TAPER CANDLE HAVING A  
FLAME-SHAPED ELEMENT ILLUMINATED  
ON TWO SIDES THEREOF**

FOREIGN PATENT DOCUMENTS

CN 2551859 5/2003  
CN 2562059 7/2003

(Continued)

(71) Applicant: **Xiaofeng Li**, Shenzhen (CN)

OTHER PUBLICATIONS

(72) Inventor: **Xiaofeng Li**, Shenzhen (CN)

U.S. Appl. No. 29/450,118, filed Mar. 15, 2013, Li.

(\*\*) Term: **14 Years**

(Continued)

(21) Appl. No.: **29/493,990**

*Primary Examiner* — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Perkins Coie LLP

(22) Filed: **Jun. 16, 2014**

(57) **CLAIM**

(51) **LOC (10) Cl.** ..... **26-04**

The ornamental design for an electronic taper candle having a flame-shaped element illuminated on two sides thereof, as shown and described.

(52) **U.S. Cl.**

USPC ..... **D26/5**

**DESCRIPTION**

(58) **Field of Classification Search**

USPC ..... D26/1-5; 431/21, 4, 289; 362/157, 161,  
362/641-644

See application file for complete search history.

FIG. 1 is an isometric view of the electronic taper candle;  
FIG. 2 is a front view of the electronic taper candle of FIG. 1,  
illustrating the illuminated area on one side of the flame-  
shaped element;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D102,561 S *	12/1936	Lamb	.....	D26/5
2,509,219 A *	5/1950	Desmond et al.	.....	362/235
4,328,534 A	5/1982	Abe		
4,551,794 A	11/1985	Sandell		
6,454,425 B1	9/2002	Lin		
7,159,994 B2	1/2007	Schnuckle		
D545,458 S *	6/2007	Jensen	.....	D26/5
7,261,455 B2	8/2007	Schnuckle		
D567,993 S	4/2008	Shiu		
D576,317 S *	9/2008	Jensen	.....	D26/5
D589,176 S	3/2009	Huang et al.		
D599,491 S	9/2009	Luo		
7,686,471 B2	3/2010	Reichow		
7,837,355 B2	11/2010	Schnuckle		
2003/0053305 A1	3/2003	Lin		
2004/0165374 A1	8/2004	Robinson		
2007/0002560 A1	1/2007	Gutstein et al.		

(Continued)

FIG. 3 is a rear view of the electronic taper candle of FIG. 1,  
illustrating the illuminated area on the opposite side of the  
flame-shaped element;

FIG. 4 is a left side view of the electronic taper candle of FIG.  
1;

FIG. 5 is a right side view of the electronic taper candle of  
FIG. 1;

FIG. 6 is a top view of the electronic taper candle of FIG. 1;  
and,

FIG. 7 is a bottom view of the electronic taper candle of FIG.  
1.

The broken lines of FIGS. 1-7 are provided for purposes of  
illustration and form no part of the claimed design of the  
present application. However, the broken lines are intended to  
provide explicit disclosure as to presently unclaimed portions  
of the design, and Applicants reserve the right to pursue and  
claim such other presently unclaimed portions in one or more  
continuation applications.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

**OTHER PUBLICATIONS**

**U.S. PATENT DOCUMENTS**

2007/0159422 A1 7/2007 Blandino et al.  
2008/0129226 A1 6/2008 DeWitt et al.  
2010/0079999 A1 4/2010 Schnuckle  
2012/0134157 A1 5/2012 Li

**FOREIGN PATENT DOCUMENTS**

CN 201103952 8/2008  
CN 201159425 12/2008  
CN 101865413 10/2010  
CN 102748589 10/2012  
GB 2323159 9/1998  
GB 2379731 3/2003  
WO 2006020839 2/2006

U.S. Appl. No. 29/450,125, filed Mar. 15, 2013, Li.  
U.S. Appl. No. 29/443,863, filed Jan. 23, 2013, Li.  
U.S. Appl. No. 29/493,987, filed Jun. 16, 2014, Li.  
U.S. Appl. No. 29/493,988, filed Jun. 16, 2014, Li.  
U.S. Appl. No. 29/493,988, filed Jun. 16, 2014, Li.  
U.S. Appl. No. 29/493,996, filed Jun. 16, 2014, Li.  
U.S. Appl. No. 29/511,278, filed Dec. 9, 2014, Li.  
U.S. Appl. No. 29/511,518, filed Dec. 11, 2014, Li.  
U.S. Appl. No. 29/517,722, filed Feb. 16, 2015, Li.  
U.S. Appl. No. 61/101,611, filed Sep. 30, 2008, Schnuckle.  
International Search Report and Written Opinion for related PCT  
Application No. PCT/CN2014/073557 mailed Jul. 2, 2014 (11  
pages).

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4






Fig. 5



**Fig. 6**



**Fig. 7**