



US00D744484S

(12) **United States Design Patent**
Huebner

(10) **Patent No.:** **US D744,484 S**
(45) **Date of Patent:** **** Dec. 1, 2015**

(54) **COORDINATE INPUT DEVICE**

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)

(72) Inventor: **Volker Huebner**, Erkrath (DE)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/468,863**

(22) Filed: **Oct. 3, 2013**

(30) **Foreign Application Priority Data**

Apr. 4, 2013 (JP) 2013-007596

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/389**

(58) **Field of Classification Search**
USPC D14/388–390, 341–347, 383, 384, 374,
D14/381, 356; D19/52; 178/18.01,
178/18.03–18.09, 18.11; 345/173–178
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D284,084 S *	6/1986	Ferrara, Jr.	D14/389
D352,280 S *	11/1994	Calco	D14/390
6,462,733 B1 *	10/2002	Murakami	345/173
D466,501 S *	12/2002	Hirota	D14/339
D501,473 S *	2/2005	Nakata	
D617,793 S *	6/2010	Chiang et al.	D14/341
D625,726 S *	10/2010	Crisp et al.	D14/389
D642,174 S *	7/2011	Hirota	D14/390
8,390,272 B2 *	3/2013	Yokota et al.	324/207.11
D680,525 S *	4/2013	Deto et al.	D14/341
D689,491 S *	9/2013	Halsinger et al.	D14/389
D711,370 S *	8/2014	Chen et al.	D14/341
D714,784 S *	10/2014	Park	D14/341
D715,290 S *	10/2014	Bryan et al.	D14/341

FOREIGN PATENT DOCUMENTS

CN 301397776 S 12/2010

OTHER PUBLICATIONS

“Logitech Wireless Rechargeable Touchpad T650,” © 2013 Logitech, <<http://www.logitech.com/en-us/product/touchpad-t650?crd=1153>> [retrieved Dec. 17, 2013], 4 pages.

“MousePen i608X,” © 2013 Genius-Kye Systems, <<http://www.geniustablet.com/EN-Graphic-Tablets-Mouse-Pen-Tablets>> [retrieved Dec. 17, 2013], 1 page.

* cited by examiner

Primary Examiner — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Christensen O’Connor Johnson Kindness PLLC



(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

DESCRIPTION

FIG. 1 is a bottom front left perspective view of a coordinate input device showing my new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left side elevation view thereof; FIG. 7 is a right side elevation view thereof; FIG. 8 is a bottom front left perspective view of an alternative embodiment of the coordinate input device shown in FIG. 1; FIG. 9 is a front elevation view thereof; FIG. 10 is a rear elevation view thereof; FIG. 11 is a top plan view thereof; FIG. 12 is a bottom plan view thereof; FIG. 13 is a left side elevation view thereof; and, FIG. 14 is a right side elevation view thereof. The broken lines shown in FIGS. 8-14 illustrate environmental subject matter and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






Fig. 2.





Fig. 3.






Fig. 4.




Fig. 5.



Fig. 6.




Fig. 7.




Fig. 9.




Fig. 10.






Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.