



US00D744541S

(12) **United States Design Patent**
Langhammer et al.

(10) **Patent No.:** **US D744,541 S**
(45) **Date of Patent:** **** Dec. 1, 2015**

- (54) **AUDIO INPUT/OUTPUT DEVICE**
- (71) Applicant: **Amazon Technologies, Inc.**, Seattle, WA (US)
- (72) Inventors: **Heinz-Dominik Langhammer**, San Francisco, CA (US); **Marc Rene Walliser**, San Francisco, CA (US); **Robert Brian Curtis**, San Francisco, CA (US); **Christopher Green**, San Francisco, CA (US)
- (73) Assignee: **Amazon Technologies, Inc.**, Seattle, WA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/503,695**
- (22) Filed: **Sep. 29, 2014**
- (51) **LOC (10) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D14/496; D14/203.1**
- (58) **Field of Classification Search**
USPC D14/496, 401, 435, 474, 483, 217, 137, D14/138, 160, 168, 356, 203.1–203.8, 507; 345/156, 169, 173–179, 905; 715/727–729, 864; 710/1, 5, 8; 713/1, 713/600; 455/1.1, 1.7, 73, 344–347, 93, 95, 455/3.01–3.06, 550.1, 573.1; 370/342–344; 369/1, 2, 6–12; 463/43–47; 273/148 B
CPC . A63F 13/00; A63F 11/00; A63F 2300/8047; G06F 17/00
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
5,914,707 A * 6/1999 Kono 345/173
7,209,648 B2 * 4/2007 Barber et al. 386/243

- D546,347 S * 7/2007 Millora D14/496
- D609,718 S * 2/2010 Chang et al. D14/496
- D611,036 S * 3/2010 Cooper et al. D14/217
- D613,270 S * 4/2010 Cooper et al. D14/217
- D615,556 S * 5/2010 Yeo et al. D14/496
- D616,464 S * 5/2010 Park D14/496
- D687,017 S 7/2013 Ashcraft et al.
- 8,504,936 B2 * 8/2013 Gimpl et al. 715/778

(Continued)

OTHER PUBLICATIONS

Stelle Audio Couture, The Pillar, Quick Start Guide, 2013, 60 pages.
The Indian Office Action mailed Jun. 15, 2015 for Indian patent application No. 270565, a counterpart foreign application of U.S. Appl. No. 29/503,695, 46 pages.
(Continued)


Primary Examiner — Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm* — Lee & Hayes, PLLC

(57) **CLAIM**
The ornamental design for an audio input/output device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an audio input/output device; FIG. 2 is another perspective view of the audio input/output device of FIG. 1; FIG. 3 is a front view of the audio input/output device of FIG. 1; FIG. 4 is a back view of the audio input/output device of FIG. 1; FIG. 5 is a left-side view of the audio input/output device of FIG. 1, the right-side view of the audio input/output device being a mirror image of the left-side; FIG. 6 is a top view of the audio input/output device of FIG. 1; and, FIG. 7 is a bottom view of the audio input/output device of FIG. 1.
The broken lines are directed to unclaimed portions and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D718,335 S * 11/2014 Lee et al. D14/496
D719,976 S * 12/2014 Bang et al. D14/496

OTHER PUBLICATIONS

Translated Japanese Office Action mailed Jun. 12, 2015 for Japanese patent application No. 2015-004370, a counterpart foreign application of U.S. Appl. No. 29/503,695, 4 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7