



US00D744673S

(12) **United States Design Patent**
Boomgaarden

(10) **Patent No.:** **US D744,673 S**
(45) **Date of Patent:** **** Dec. 1, 2015**

(54) **LIGHTING UNIT**

(71) Applicant: **Lighting Science Group Corporation**,
Satellite Beach, FL (US)

(72) Inventor: **Mark Penley Boomgaarden**, Satellite
Beach, FL (US)

(73) Assignee: **Lighting Science Group Corporation**,
Melbourne, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/494,074**

(22) Filed: **Jun. 17, 2014**

(51) **LOC (10) Cl.** **26-04**

(52) **U.S. Cl.**
USPC **D26/2**

(58) **Field of Classification Search**
USPC D26/1-4; 313/313, 315, 316, 317, 318,
313/493; 315/52, 53, 56, 57, 58
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D532,532 S	*	11/2006	Maxik	D26/2
D544,110 S	*	6/2007	Hooker et al.	D26/2
D566,300 S	*	4/2008	Lo	D26/2
D581,555 S	*	11/2008	To et al.	D26/2
D584,838 S	*	1/2009	To et al.	D26/2
D610,722 S	*	2/2010	Bi	D26/2
D677,806 S	*	3/2013	Jiang et al.	D26/2

* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Mark Malek; Widerman
Malek, PL

(57) **CLAIM**

The ornamental design for embodiments of a lighting unit, as
shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a lighting unit according
to an embodiment of the present invention.

FIG. 2 is a side elevation view of the lighting unit illustrated
in FIG. 1.

FIG. 3 is another side elevation view of the lighting unit
illustrated in FIG. 1.

FIG. 4 is another side elevation view of the lighting unit
illustrated in FIG. 1.

FIG. 5 is another side elevation view of the lighting unit
illustrated in FIG. 1.

FIG. 6 is a top plan view of the lighting unit illustrated in FIG.
1.

FIG. 7 is a bottom plan view of the lighting unit illustrated in
FIG. 1.

FIG. 8 is a front perspective view of a lighting unit according
to an alternate embodiment of the present invention.

FIG. 9 is a side elevation view of the lighting unit illustrated
in FIG. 8.

FIG. 10 is another side elevation view of the lighting unit
illustrated in FIG. 8.

FIG. 11 is another side elevation view of the lighting unit
illustrated in FIG. 8.

FIG. 12 is another side elevation view of the lighting unit
illustrated in FIG. 8.

FIG. 13 is a top plan view of the lighting unit illustrated in
FIG. 8.

FIG. 14 is a bottom plan view of the lighting unit illustrated in
FIG. 8.

FIG. 15 is a front perspective view of a lighting unit according
to still another embodiment of the present invention.

FIG. 16 is a side elevation view of the lighting unit illustrated
in FIG. 15.

FIG. 17 is another side elevation view of the lighting unit
illustrated in FIG. 15.


FIG. 18 is another side elevation view of the lighting unit
illustrated in FIG. 15.

FIG. 19 is another side elevation view of the lighting unit
illustrated in FIG. 15.

FIG. 20 is a top plan view of the lighting unit illustrated in
FIG. 15; and,

FIG. 21 is a bottom plan view of the lighting unit illustrated in
FIG. 15.

1 Claim, 18 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19



FIG. 20




FIG. 21