



US00D744861S

(12) **United States Design Patent**  
**Fortner**

(10) **Patent No.:** **US D744,861 S**  
(45) **Date of Patent:** **\*\* Dec. 8, 2015**

- (54) **AEROSOL CAN**
- (71) Applicant: **Crown Packaging Technology, Inc.**,  
Alsip, IL (US)
- (72) Inventor: **Thomas Edward Fortner**, Chicago, IL  
(US)
- (73) Assignee: **Crown Packaging Technology, Inc.**,  
Alsip, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/449,098**

(22) Filed: **Mar. 14, 2013**

(51) **LOC (10) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/772**

(58) **Field of Classification Search**  
USPC ..... D9/500, 502, 516, 530, 537, 539, 542,  
D9/549, 763-783; 215/381-385; 220/660,  
220/662, 669; D7/601, 602, 612, 615, 630  
CPC ..... B65D 1/00; B65D 1/02; B65D 1/12;  
B65D 1/14; B65D 1/40; B65D 1/44; B65D  
1/023; B65D 1/0223; B65D 1/165; B65D  
1/238; B65D 1/246; B65D 1/253; B65D 7/04;  
B65D 21/0209; B65D 21/0233; B65D 25/00;  
B65D 25/28; B65D 41/0457; B65D 41/17;  
B65D 53/06; B65D 75/56; B65D 79/005;  
B65D 2501/0036; B65D 2543/00064; B65D  
2543/00074; B65D 2543/00083; B65D  
2543/00092; B65D 2543/00101; B65D  
2543/00111

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,693,828 A	9/1972	Kneusel et al.
3,905,507 A	9/1975	Lyu
3,998,174 A	12/1976	Saunders

D245,964 S *	10/1977	Sexton et al.	.....	D9/772
D246,030 S *	10/1977	Sexton et al.	.....	D9/772
D246,229 S *	11/1977	Saunders	.....	D9/772
D247,772 S *	4/1978	Sexton, Jr.	.....	D9/772
D257,958 S *	1/1981	Sexton, Jr.	.....	D9/772
4,266,685 A	5/1981	Lee, Jr.		
4,681,237 A	7/1987	Hartman		
4,885,924 A	12/1989	Claydon et al.		
4,919,294 A	4/1990	Kawamoto et al.		
4,953,738 A	9/1990	Stirbis		
5,040,698 A	8/1991	Ramsey et al.		

(Continued)

*Primary Examiner* — Keli L Hill

(74) *Attorney, Agent, or Firm* — Baker & Hostetler LLP


(57) **CLAIM**

I claim the ornamental design for an aerosol can, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of an aerosol can according to a first embodiment of our new design;  
FIG. 2 is a bottom view thereof; FIG. 3 is a front view thereof, the front view being identical to the rear view, the left side view, and the right side view;  
FIG. 4 is a front cross-sectional view thereof according to line 4-4 shown in FIG. 1;  
FIG. 5 is a top perspective thereof;  
FIG. 6 is a top view of an aerosol can according to a second embodiment of our new design;  
FIG. 7 is a bottom view thereof;  
FIG. 8 is a front view thereof, the front view being identical to the rear view, the left side view, and the right side view;  
FIG. 9 is a top view of an aerosol can according to a third embodiment of our new design;  
FIG. 10 is a bottom view thereof; and,  
FIG. 11 is a front view thereof, the front view being identical to the rear view, the left side view, and the right side view.  
Broken lines shown in the Drawings represent unclaimed portions of the aerosol can and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



# US D744,861 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

5,105,973 A 4/1992 Jentsch et al.  
D369,977 S \* 5/1996 Sexton, Jr. .... D9/764  
5,645,190 A 7/1997 Goldberg  
7,140,223 B2 11/2006 Chupak

D570,228 S \* 6/2008 van Dam ..... D9/772  
7,740,148 B2 6/2010 Rajagopalan et al.  
D631,758 S \* 2/2011 Alvares et al. .... D9/766  
D701,464 S \* 3/2014 Ogata et al. .... D9/772  
2004/0035871 A1 2/2004 Chupak  
2009/0272750 A1 11/2009 Rajagopalan et al.  
2011/0011896 A1 1/2011 Diamond et al.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3







FIG. 4



*FIG. 5*



*FIG. 6*



*FIG. 7*






FIG. 8






*FIG. 9*



*FIG. 10*



*FIG. 11*