



US00D744984S

(12) **United States Design Patent**
Boren

(10) **Patent No.:** **US D744,984 S**

(45) **Date of Patent:** **** *Dec. 8, 2015**

(54) **REMOTE CONTROL**

(71) Applicant: **Tommy Kozell Boren**, Torrance, CA
(US)

(72) Inventor: **Tommy Kozell Boren**, Torrance, CA
(US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/467,494**

(22) Filed: **Sep. 19, 2013**

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/218**

(58) **Field of Classification Search**
USPC D13/168; D14/218, 138 AD, 138 AA,
D14/240, 345, 346, 412, 455; D18/7;
345/169; D21/566; 348/211.99, 14.05,
348/114, 734
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|----------------|-------|------------|
| D346,152 S * | 4/1994 | Zaugg | | D13/168 |
| D410,927 S * | 6/1999 | Yamagishi | | D14/218 |
| D432,525 S * | 10/2000 | Beecroft | | D14/218 |
| D448,358 S * | 9/2001 | Tickle et al. | | D14/218 |
| D462,339 S * | 9/2002 | Allen et al. | | D14/218 |
| D476,974 S * | 7/2003 | Goto | | D14/218 |
| D476,975 S * | 7/2003 | Rodriquez, Sr. | | D14/218 |
| D478,896 S * | 8/2003 | Summers | | D14/218 |
| D485,826 S * | 1/2004 | Goto | | D14/218 |
| D516,545 S * | 3/2006 | Lai | | D14/218 |
| D518,475 S * | 4/2006 | Yang et al. | | D14/218 |
| D543,971 S * | 6/2007 | d'Hoore | | D14/218 |
| D551,215 S * | 9/2007 | Lee et al. | | D14/218 |
| D557,666 S * | 12/2007 | Schroter | | D13/168 |
| D599,768 S * | 9/2009 | Kim et al. | | D14/138 AD |
| D606,981 S * | 12/2009 | Kaneko | | D14/218 |

| | | | | |
|--------------|---------|---------------------|-------|---------|
| D621,387 S * | 8/2010 | Hansen et al. | | D14/218 |
| D626,942 S * | 11/2010 | Aquillano et al. | | D14/218 |
| D627,763 S * | 11/2010 | Carsey | | D14/218 |
| D630,619 S * | 1/2011 | Li | | D14/218 |
| D660,809 S * | 5/2012 | Kern Koskela et al. | | D13/168 |
| D663,288 S * | 7/2012 | Aquillano et al. | | D14/218 |
| D668,243 S * | 10/2012 | Aquillano | | D14/218 |
| D697,499 S * | 1/2014 | McManigal | | D14/218 |
| D709,480 S * | 7/2014 | Kim | | D14/218 |
| D710,331 S * | 8/2014 | Yuyama et al. | | D14/218 |
| D713,820 S * | 9/2014 | O'Neil | | D14/218 |

FOREIGN PATENT DOCUMENTS

| | | | |
|----|-----------|---|--------|
| CN | 301877363 | * | 4/2012 |
| JP | D1182394 | * | 8/2003 |
| KR | 300724289 | * | 1/2014 |

OTHER PUBLICATIONS

RF Wireless Remote Control, announced Jul. 18, 2013, [online], site visited Sep. 25, 2014, <https://buy.garmin.com/en-US/US/shop-by-accessories/remotes/rf-wireless-remote-control/prod8620.html>.*

* cited by examiner

Primary Examiner — John Windmuller
Assistant Examiner — Luqman McNeil
(74) *Attorney, Agent, or Firm* — Duane Morris LLP



(57) **CLAIM**

The ornamental design for a remote control, as shown and described in the figures.

DESCRIPTION

FIG. 1 is a front view of the remote control;
FIG. 2 is a rear view of the remote control;
FIG. 3 is a right-hand-side view of the bottom half and the top half of the remote control;
FIG. 4 is a perspective view of the remote control from the front-right-side; and,
FIG. 5 is a perspective view of the remote control from the rear-left-side.

1 Claim, 5 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5