



US00D745186S

(12) **United States Design Patent**
Aston et al.

(10) **Patent No.:** **US D745,186 S**
(45) **Date of Patent:** **** Dec. 8, 2015**

- (54) **CONCRETE BRIDGE UNIT** 1,332,243 A 3/1920 Whalen
- 1,474,808 A 11/1923 Zucco
- (71) Applicants: **Scott D. Aston**, Liberty Township, OH 1,734,392 A 11/1929 Moore
(US); **Michael G. Carfagno**, Dayton, OH (US); **Philip A. Creamer**, Springboro, OH (US) 1,784,271 A 12/1930 Collins
2,616,149 A 11/1952 Waller
3,195,852 A 7/1965 Lundell
3,286,972 A 11/1966 Jackson
3,397,494 A 8/1968 Waring
- (72) Inventors: **Scott D. Aston**, Liberty Township, OH 3,848,377 A 11/1974 Mori
(US); **Michael G. Carfagno**, Dayton, OH (US); **Philip A. Creamer**, Springboro, OH (US) D241,634 S 9/1976 Nickerson
4,094,110 A 6/1978 Dicken et al.
4,099,360 A 7/1978 Outram
4,141,666 A 2/1979 DeGraff
4,211,504 A 7/1980 Sivachenko
4,314,775 A 2/1982 Johnson
4,318,635 A 3/1982 Gurtner et al.
4,558,969 A 12/1985 FitzSimons
4,563,107 A 1/1986 Peterson
4,564,313 A 1/1986 Niswander et al.
4,587,684 A 5/1986 Miller
4,650,369 A 3/1987 Thomas
- (73) Assignee: **CONTECH ENGINEERED SOLUTIONS LLC**, West Chester, OH (US) 4,687,371 A 8/1987 Lockwood
4,693,634 A 9/1987 Chiaves
4,723,871 A 2/1988 Roscoe
4,797,030 A 1/1989 Lockwood
4,817,353 A 4/1989 Woods et al.
4,854,775 A 8/1989 Lockwood
4,972,641 A 11/1990 Barrios
4,972,646 A 11/1990 Miller et al.
4,987,707 A 1/1991 Kiselev et al.
4,993,872 A 2/1991 Lockwood
5,252,002 A 10/1993 Day
5,326,191 A 7/1994 Wilson et al.
5,384,997 A 1/1995 McClinton
D356,163 S 3/1995 Ryan
5,505,033 A 4/1996 Matsuo et al.
5,524,405 A 6/1996 Byrd
5,533,835 A 7/1996 Angelette
5,536,113 A 7/1996 McGregor
5,586,417 A 12/1996 Henderson et al.
5,590,433 A 1/1997 Fricke
D380,278 S 6/1997 Cote
5,720,577 A 2/1998 Sanders et al.
5,836,717 A 11/1998 Bernini
D406,364 S 3/1999 Robert
D406,902 S 3/1999 Lockwood
D426,321 S 6/2000 Lockwood
6,094,881 A 8/2000 Lockwood
6,129,484 A 10/2000 Chiaves
6,161,342 A 12/2000 Barbier et al.
6,205,605 B1 3/2001 Orsat
6,205,717 B1 3/2001 Shall et al.
6,243,994 B1 6/2001 Bernini
- (**) Term: **14 Years**
- (21) Appl. No.: **29/475,040**
- (22) Filed: **Nov. 27, 2013**


Related U.S. Application Data

- (62) Division of application No. 29/417,404, filed on Apr. 3, 2012, now Pat. No. Des. 694,910.
- (51) **LOC (10) Cl.** **25-03**
- (52) **U.S. Cl.**
USPC **D25/1**
- (58) **Field of Classification Search**
USPC D25/102, 35; 14/2, 24, 25, 26; 405/134, 405/124, 126
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- 109,886 A 12/1870 Freeman
- 567,653 A 9/1896 Parker
- 701,034 A 5/1902 Gray
- 832,017 A 9/1906 Hummel
- 1,013,440 A 1/1912 Rankin
- 1,040,442 A 10/1912 Shannon
- 1,074,268 A 9/1913 Kelly et al.
- 1,184,634 A 5/1916 Duerswachter
- 1,219,434 A 3/1917 Burkholder



6,367,214	B1	4/2002	Monachino	
6,408,581	B2	6/2002	Monachino	
6,474,907	B2	11/2002	Semotiuk et al.	
D471,989	S	3/2003	Van Gilst	
6,640,505	B1	11/2003	Heierli	
D484,609	S	12/2003	Harrington	
D484,610	S	12/2003	Lockwood	
D487,778	S	3/2004	Kahlig	
6,719,492	B1	4/2004	Heierli	
D490,533	S	5/2004	Lockwood	
6,854,928	B2	2/2005	Lockwood	
6,922,950	B2	8/2005	Heierli	
D511,215	S	11/2005	Vala	
D511,387	S	11/2005	Beach	
6,962,465	B2 *	11/2005	Zax et al.	405/124
D512,513	S	12/2005	Wasniak et al.	
6,988,337	B1	1/2006	Heierli	
D514,706	S	2/2006	Beach	
7,001,110	B2	2/2006	Lockwood	
7,114,305	B2	10/2006	Heierli	
7,217,064	B1	5/2007	Wilson	
7,305,798	B1	12/2007	Heierli	
D566,852	S	4/2008	Gaster	
D573,722	S	7/2008	Lockwood	
7,556,451	B2	7/2009	Beach et al.	
7,568,860	B2	8/2009	Chiaves	
7,572,084	B2	8/2009	Robertson	
7,770,250	B2 *	8/2010	Boresi et al.	405/124
D645,572	S	9/2011	Vonhandorf	
D658,976	S	5/2012	Morrow, Jr.	
8,523,486	B2	9/2013	Aston et al.	
8,672,583	B1	3/2014	Mailhot et al.	
2005/0123354	A1	6/2005	Zax et al.	
2006/0174549	A1	8/2006	Dagher et al.	
2006/0201091	A1	9/2006	Lockwood	
2007/0098503	A1	5/2007	Vaia	
2009/0183321	A1	7/2009	Bores et al.	

FOREIGN PATENT DOCUMENTS

EP	0244890	11/1987
EP	0568799	11/1996
FR	2330818	6/1977
WO	WO 92/07144	4/1992

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/413,755, filed Feb. 20, 2012, entitled "Concrete Bridge Unit".

Written Opinion of the International Searching Authority, mailed Aug. 27, 2014, International Application No. PCT/US2014/033459, filed Apr. 9, 2014; 8 pages.

* cited by examiner

Primary Examiner — Robert Delehanty
(74) *Attorney, Agent, or Firm* — Thompson Hine LLP

(57) **CLAIM**

The ornamental design for a concrete bridge unit, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a concrete bridge unit;
FIG. 2 is a front elevation of the concrete bridge unit of FIG. 1;
FIG. 3 is a side elevation of the concrete bridge unit of FIG. 1;
FIG. 4 is a perspective view of a second embodiment of a concrete bridge unit;

FIG. 5 is a front elevation of the concrete bridge unit of FIG. 4;
FIG. 6 is a side elevation of the concrete bridge unit of FIG. 4;
FIG. 7 is a perspective view of a third embodiment of a concrete bridge unit;
FIG. 8 is a front elevation of the concrete bridge unit of FIG. 7;
FIG. 9 is a side elevation of the concrete bridge unit of FIG. 7;
FIG. 10 is a perspective view of a fourth embodiment of a concrete bridge unit;
FIG. 11 is a front elevation of the concrete bridge unit of FIG. 10;
FIG. 12 is a side elevation of the concrete bridge unit of FIG. 10;
FIG. 13 is a perspective view of a fifth embodiment of a concrete bridge unit;
FIG. 14 is a front elevation of the concrete bridge unit of FIG. 13;
FIG. 15 is a side elevation of the concrete bridge unit of FIG. 13;
FIG. 16 is a perspective view of a sixth embodiment of a concrete bridge unit;
FIG. 17 is a front elevation of the concrete bridge unit of FIG. 16;
FIG. 18 is a side elevation of the concrete bridge unit of FIG. 16;
FIG. 19 is a perspective view of a seventh embodiment of a concrete bridge unit;
FIG. 20 is a front elevation of the concrete bridge unit of FIG. 19;
FIG. 21 is a side elevation of the concrete bridge unit of FIG. 19;
FIG. 22 is a perspective view of an eighth embodiment of a concrete bridge unit;
FIG. 23 is a front elevation of the concrete bridge unit of FIG. 22;
FIG. 24 is a side elevation of the concrete bridge unit of FIG. 22;
FIG. 25 is a perspective view of a ninth embodiment of a concrete bridge unit;
FIG. 26 is a front elevation of the concrete bridge unit of FIG. 25;
FIG. 27 is a side elevation of the concrete bridge unit of FIG. 25;
FIG. 28 is a perspective view of a tenth embodiment of a concrete bridge unit;
FIG. 29 is a front elevation of the concrete bridge unit of FIG. 28;
FIG. 30 is a side elevation of the concrete bridge unit of FIG. 28;
FIG. 31 is a perspective view of an eleventh embodiment of a concrete bridge unit;
FIG. 32 is a front elevation of the concrete bridge unit of FIG. 31;
FIG. 33 is a side elevation of the concrete bridge unit of FIG. 32;
FIG. 34 is a perspective view of a twelfth embodiment of a concrete bridge unit;
FIG. 35 is a front elevation of the concrete bridge unit of FIG. 34; and,
FIG. 36 is a side elevation of the concrete bridge unit of FIG. 34.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23



Fig. 24




Fig. 25



Fig. 26




Fig. 27




Fig. 28




Fig. 29



Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36