



US00D745219S

(12) **United States Design Patent**
Carter

(10) **Patent No.:** **US D745,219 S**

(45) **Date of Patent:** **** Dec. 8, 2015**

(54) **HARD HAT WITH LED SAFETY LIGHTS**

(71) Applicant: **Landon Carter**, Delhi, CA (US)

(72) Inventor: **Landon Carter**, Delhi, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/482,428**

(22) Filed: **Feb. 18, 2014**

(51) **LOC (10) Cl.** **15-05**

(52) **U.S. Cl.**

USPC **D29/102**

(58) **Field of Classification Search**

USPC D29/102-107, 122; D26/38-39, 49

CPC A42B 1/066; A42B 3/228; A42B 3/08;

A42B 3/32; A42B 3/00; A42B 3/166; A42B

3/222; A42B 3/16; A42B 3/20; A42B 3/227;

A42B 3/105; A42B 3/22; A42B 3/04; A42B

3/06; A63B 71/10; F21V 21/084; A41D

27/085; F21L 19/006

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D102,327 S * 12/1936 Gray D29/104

D102,400 S * 12/1936 Sloan D29/104

D118,432 S * 1/1940 Lewis D29/104

2,610,322 A * 9/1952 Daly 2/412

2,971,195 A * 2/1961 Voss 2/411

3,176,314 A * 4/1965 Perry 2/411

D205,990 S * 10/1966 Raschke D29/104

D206,479 S * 12/1966 Raschke D29/104

D234,411 S * 3/1975 Zuppert D29/104

D296,719 S * 7/1988 Lester D29/103

D326,924 S * 6/1992 Carroll D26/39

D356,171 S * 3/1995 Smith D26/39

D448,100 S * 9/2001 Husband D26/39

6,340,234 B1 1/2002 Brown, Jr.

D529,214 S * 9/2006 Sherring D26/39

7,161,116 B2 1/2007 Steinemann

D536,814 S * 2/2007 Choi D26/39

7,178,932 B1 2/2007 Buckman

D561,922 S * 2/2008 Yan D26/39

D597,691 S * 8/2009 Fuentes D26/39

D602,645 S * 10/2009 Cardoso D29/102

D622,880 S * 8/2010 Turtzo et al. D26/39

D638,584 S * 5/2011 Lara D29/102

D649,669 S * 11/2011 Malecki et al. D26/39

D670,034 S * 10/2012 Kolodziej D29/102

* cited by examiner

Primary Examiner — Ruth McNroy

(74) *Attorney, Agent, or Firm* — Crossley Patent Law

(57) **CLAIM**

The ornamental design for a hard hat with LED safety lights, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevation view of a hard hat with LED safety lights showing my new design, the opposite side being a mirror image of the shown;



FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a top plan elevation view thereof; and,

FIG. 5 is an isometric view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5