



US00D745408S

(12) **United States Design Patent**
Koop et al.

(10) **Patent No.:** **US D745,408 S**
(45) **Date of Patent:** **** Dec. 15, 2015**

(54) **BOTTLE**

(71) Applicant: **DURAN Group GmbH**, Wertheim (DE)

(72) Inventors: **Norbert Koop**, Hamburg (DE); **Anna Beelte**, Hamburg (DE)

(73) Assignee: **DURAN GROUP GMBH**, Wertheim (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/491,589**

(22) Filed: **May 22, 2014**

(30) **Foreign Application Priority Data**

Feb. 13, 2014 (EM) 002403808-0001

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/550**

(58) **Field of Classification Search**

USPC D3/202, 202.3, 203.2, 203.4, 203.6, D3/205, 225, 240, 251, 901; D6/515, 518, D6/522, 523, 535, 541, 542; D7/300.1, D7/316, 317, 509-511, 590-600, 601-612, D7/679; D9/431, 432, 446, 447, 449, 453, D9/454, 516, 520, 521, 522, 523, 529, 530, D9/540, 541, 542, 548, 549, 550, 551, 552, D9/556, 558, 560, 563, 569, 571, 574, 655, D9/658, 667; D23/211.1-211.2; D24/121, D24/124, 197, 224; D28/8.1, 66, 67, 83; 215/206, 229, 381; 220/674, 710, 837; 222/182, 206, 209, 252; 426/115
CPC B65D 1/02; B65D 1/0223; B65D 1/0269; B65D 1/08; B65D 1/10; A47G 19/22; A47G 19/2205; A47G 19/2266

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D282,052 S * 1/1986 Beaver et al. D9/539
D314,142 S * 1/1991 Briggs D9/550
5,531,339 A * 7/1996 Yamanaka et al. 215/12.2

(Continued)

FOREIGN PATENT DOCUMENTS

CN 302693064 * 12/2013

OTHER PUBLICATIONS

Duran Group Yutility Laboratory Bottle: announced Jan. 17, 2014 [online] site visited [Jul. 21, 2015]. Available from Internet URL:<<http://www.duran-group.com/en/products-solutions/laboratory-glassware/products/laboratory-glass-bottles/duran-yutility-laborflasche.html>>.*

Primary Examiner — Thomas Johannes

Assistant Examiner — Catherine Posthauer

(74) *Attorney, Agent, or Firm* — Stephen J. Weyer, Esq.; Stites & Harbison, PLLC.

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

This application relates to the subject matter in co-filed U.S. Design patent application Ser. Nos. 29/491,585, 29/491,590, and 29/491,591, Filed on May 22, 2014, all herein incorporated by reference.

FIG. 1 is a perspective view taken from the top, front, and right side of the bottle of the present invention.


FIG. 2 is a front elevation view of the bottle of FIG. 1.

FIG. 3 is a rear elevation view of the bottle of FIG. 1.

FIG. 4 is a right side elevation view of the bottle of FIG. 1, the opposite side being nearly a mirror image thereof; and,

FIG. 5 is a top plan view of the bottle of FIG. 1.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D512,641 S * 12/2005 Anderson et al. D9/530
7,134,564 B2 * 11/2006 Verbovsky 215/11.4
D573,027 S * 7/2008 Bertelli D9/522
D573,476 S * 7/2008 Hopkins D9/538

D592,967 S * 5/2009 Melrose et al. D9/574
D627,654 S * 11/2010 Gottlieb D9/542
D698,657 S * 2/2014 Bernstein et al. D9/529
2005/0067369 A1 * 3/2005 Trude 215/381
2009/0255893 A1 * 10/2009 Zummo et al. 215/10

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5