



US00D745415S

(12) **United States Design Patent**
Ferriter

(10) **Patent No.:** **US D745,415 S**
(45) **Date of Patent:** **** Dec. 15, 2015**

(54) **PROTECTIVE ACCESSORY SLEEVE**

(71) Applicant: **Barbara J. Ferriter**, Evergreen Park, IL
(US)

(72) Inventor: **Barbara J. Ferriter**, Evergreen Park, IL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/479,130**

(22) Filed: **Jan. 13, 2014**

Related U.S. Application Data

(63) Continuation of application No. 29/457,662, filed on
Jun. 12, 2013, now Pat. No. Des. 700,524.

(51) **LOC (10) Cl.** **09-05**

(52) **U.S. Cl.**
USPC **D9/711**

(58) **Field of Classification Search**

USPC D9/702-714, 501, 503, 505, 414, 716,
D9/415, 416, 418, 419, 429, 432, 433;
383/904; 206/389, 418, 701-702, 305,
206/306, 461-471, 486, 271, 349-383,
206/775-783; 374/208; 228/60; D7/608;
229/4.5, 5.5, 103.2, 800; 428/34.1,
428/34.2; D3/201

CPC B65D 33/04; B65D 85/672
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D216,251 S 12/1969 Offray
D237,807 S 11/1975 Russell
D247,955 S * 5/1978 Mosher et al. D9/711
D308,521 S * 6/1990 Lonczak D14/230
D327,013 S 6/1992 Reighart
D389,401 S 1/1998 Holley, Jr.
D418,053 S 12/1999 Kornick et al.
D513,356 S * 1/2006 Kincaid D2/609

D552,486 S 10/2007 Herring et al.
D573,457 S 7/2008 Park
D575,146 S 8/2008 Lee
D627,236 S 11/2010 Kozarsky
D646,986 S * 10/2011 Roesler D9/756
D654,374 S * 2/2012 Lauder D9/715
D666,379 S * 9/2012 Kim D2/605
D666,380 S 9/2012 Kim

(Continued)

OTHER PUBLICATIONS

Lipke-Kentex-Hesse, Inc., Dry Cleaning Supply and Products,
<https://www.walterhesse.com/home.php?cat=617>, 2 pages.

(Continued)

Primary Examiner — Caron D Veynar

Assistant Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — McAndrews, Held &
Malloy, Ltd.

(57) **CLAIM**


The ornamental design for a protective accessory sleeve, as
shown and described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of the protective
accessory sleeve showing my new design;
FIG. 2 is a top, front, right perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a left side elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

The broken line showing of a tie in FIG. 1 is included for the
purpose of illustrating environmental structure and forms no
part of the claimed design. The dot dash broken lines in FIGS.
1-8 represent unclaimed boundary lines and form no part of
the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

U.S. PATENT DOCUMENTS

D672,242 S * 12/2012 Lee D9/457
D686,912 S 7/2013 Ehde et al.
D688,440 S * 8/2013 Kim D2/605
D691,779 S * 10/2013 Kim D2/605
D693,537 S * 11/2013 Kim D2/605
D714,635 S * 10/2014 Demar et al. D9/415

Norton Supply, <http://www.nortonsupply.com/dry-cleaning/tie-board-bag-set>, 1 page.
Applicant received the attached pictures (front and back) from dry cleaner on Mar. 9, 2013, 2 pages.
* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5 FIG. 6




FIG. 7




FIG. 8