



US00D745417S

(12) **United States Design Patent**  
**Zebert et al.**

(10) **Patent No.:** **US D745,417 S**  
(45) **Date of Patent:** **\*\* Dec. 15, 2015**

- (54) **CANS**
- (71) Applicant: **Del Monte Foods, Inc.**, Walnut Creek, CA (US)
- (72) Inventors: **Wendy Anne Zebert**, Concord, CA (US); **Brian John Olson**, Pleasanton, CA (US); **Jainwen Hu**, Nashotah, WI (US); **Justin Heath Fauntleroy**, Lincolnshire, IL (US); **Steven James Manne**, Oconomowoc, WI (US); **Geoffrey Edwin Tanner**, Tiburon, CA (US); **Mario Norman DiFalco**, Oakland, CA (US); **Shannon Coan Toyos**, San Francisco, CA (US); **Jacqueline Yuen Chan**, San Francisco, CA (US); **Barbara Susan Griffin**, Tiburon, CA (US); **Melinda Steinmetz LaBonge**, Lafayette, CA (US); **Thomas Gaetan Thibault Brisebras**, San Francisco, CA (US); **Soren Stephen DeOrlow**, San Francisco, CA (US); **Nina Dominique Wang**, Menlo Park, CA (US)
- (73) Assignee: **Del Monte Foods, Inc.**, San Francisco, CA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/470,228**
- (22) Filed: **Oct. 18, 2013**
- (51) **LOC (10) Cl.** ..... **09-01**
- (52) **U.S. Cl.**  
USPC ..... **D9/773**
- (58) **Field of Classification Search**  
USPC ..... D9/434, 435, 500, 502, 516, 530, 537, D9/539, 542, 549, 763-783, 550, 553, 566, D9/552; 215/381-385; 220/660, 662, 669; D6/691.1, 692.1, 622; D11/25, 37; D5/2, 4, 56, 58-60


CPC ..... B65D 1/00; B65D 1/02; B65D 1/12; B65D 1/14; B65D 1/40; B65D 1/44; B65D 1/023; B65D 1/0223; B65D 1/165; B65D 1/238; B65D 1/246; B65D 1/253; B65D 7/04; B65D 21/0209; B65D 21/0233; B65D 25/00; B65D 25/28; B65D 41/0457; B65D 41/17; B65D 53/06; B65D 75/56; B65D 79/005; B65D 2501/0036; B65D 2543/00064; B65D 2543/00074; B65D 2543/00083; B65D 2543/00092; B65D 2543/00101; B65D 2543/00111

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D74,437	S	*	2/1928	Howel	.....	D9/550
D91,993	S	*	4/1934	Evans	.....	D9/550
D94,575	S	*	2/1935	Steelman	.....	D9/550
D95,589	S	*	5/1935	Kessler	.....	D9/550
D96,267	S	*	7/1935	Meyer	.....	D9/550
2,063,013	A		12/1936	Cooper		
D105,540	S	*	8/1937	Smith	.....	D9/550
D111,411	S	*	9/1938	D'Addario	.....	D9/550
D140,842	S	*	4/1945	Gordon	.....	D9/681
3,133,517	A		5/1964	Brick et al.		
3,872,994	A		3/1975	Hyde		
D264,557	S	*	5/1982	Groenewold et al.	.....	D9/500
4,538,439	A		9/1985	Frei		
5,071,029	A		12/1991	Umlah et al.		
D323,290	S		1/1992	Keedy, Jr.		
5,100,017	A		3/1992	Ishinabe et al.		
D368,655	S	*	4/1996	Chahed	.....	D9/429
D450,250	S	*	11/2001	Burleson et al.	.....	D9/553
D489,988	S	*	5/2004	Ogata et al.	.....	D9/773
D559,121	S	*	1/2008	Farrow et al.	.....	D9/773
D582,781	S	*	12/2008	Miller	.....	D9/538
D612,255	S		3/2010	Shah		
D629,305	S	*	12/2010	Arnell et al.	.....	D9/601
D633,800	S	*	3/2011	Haywood	.....	D9/502
D678,784	S	*	3/2013	Aranha	.....	D9/772
D681,472	S	*	5/2013	Klebeck	.....	D9/538
D715,162	S	*	10/2014	Farrow et al.	.....	D9/772
D722,826	S	*	2/2015	Coon et al.	.....	D7/511
2010/0089924	A1	*	4/2010	Rowland et al.	.....	220/270
2010/0116374	A1	*	5/2010	Wilson et al.	.....	141/6
2011/0226771	A1	*	9/2011	Manne et al.	.....	220/270



FOREIGN PATENT DOCUMENTS

AU	482190	3/1975
CN	3254198	9/2002
CN	3611531	8/2007
CN	301127833	2/2010
DE	1586928	9/1970
GB	2075053	9/1998
JP	2003020038	1/2003
JP	2004256178	9/2004
JP	D1292222	1/2007
JP	D1379027	2/2010
JP	D1388331	5/2010
JP	D1398184	10/2010
WO	D035072	2/1996

\* cited by examiner

*Primary Examiner* — Keli L Hill

(74) *Attorney, Agent, or Firm* — Stradley Ronon Stevens & Young, LLP BG-IP Law Corporation

(57) **CLAIM**

The ornamental designs for cans, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a can, showing a first embodiment of our new design;  
 FIG. 2 is a front elevation view thereof, the rear elevation view being identical thereto;  
 FIG. 3 is a side elevation view thereof, the opposite side elevation view being identical thereto;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a bottom plan view thereof;  
 FIG. 6 is a perspective view of a can, showing a second embodiment of our new design;  
 FIG. 7 is a front elevation view thereof, the rear elevation view being identical thereto;  
 FIG. 8 is a side elevation view thereof, the opposite side elevation view being identical thereto;  
 FIG. 9 is a top plan view thereof;  
 FIG. 10 is a bottom plan view thereof;  
 FIG. 11 is a perspective view of a can, showing a third embodiment of our new design;  
 FIG. 12 is a front elevation view thereof, the rear elevation view being identical thereto;  
 FIG. 13 is a side elevation view thereof, the opposite side elevation view being identical thereto;  
 FIG. 14 is a top plan view thereof;

FIG. 15 is a bottom plan view thereof;  
 FIG. 16 is a perspective view of a can, showing a fourth embodiment of our new design;  
 FIG. 17 is a front elevation view thereof, the rear elevation view being identical thereto;  
 FIG. 18 is a side elevation view thereof, the opposite side elevation view being identical thereto;  
 FIG. 19 is a top plan view thereof;  
 FIG. 20 is a bottom plan view thereof;  
 FIG. 21 is a perspective view of a can, showing a fifth embodiment of our new design;  
 FIG. 22 is a front elevation view thereof;  
 FIG. 23 is a side elevation view thereof, the opposite side elevation view being identical thereto;  
 FIG. 24 is a rear elevation view thereof;  
 FIG. 25 is a top plan view thereof;  
 FIG. 26 is a bottom plan view thereof;  
 FIG. 27 is a perspective view of a can, showing a sixth embodiment of our new design;  
 FIG. 28 is a front elevation view thereof;  
 FIG. 29 is a side elevation view thereof, the opposite side elevation view being identical thereto;  
 FIG. 30 is a rear elevation view thereof;  
 FIG. 31 is a top plan view thereof;  
 FIG. 32 is a bottom plan view thereof;  
 FIG. 33 is a perspective view of a can, showing a seventh embodiment of our new design;  
 FIG. 34 is a front elevation view thereof;  
 FIG. 35 is a side elevation view thereof, the opposite side elevation view being identical thereto;  
 FIG. 36 is a rear elevation view thereof;  
 FIG. 37 is a top plan view thereof;  
 FIG. 38 is a bottom plan view thereof;  
 FIG. 39 is a perspective view of a can, showing an eighth embodiment of our new design;  
 FIG. 40 is a front elevation view thereof;  
 FIG. 41 is a side elevation view thereof, the opposite side elevation view being identical thereto;  
 FIG. 42 is a rear elevation view thereof;  
 FIG. 43 is a top plan view thereof; and,  
 FIG. 44 is a bottom plan view thereof.  
 The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are included for the purpose of illustrating portions of the cans; the broken lines form no part of the claimed design.

**1 Claim, 44 Drawing Sheets**




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6






FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14






FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19




FIGURE 20




FIGURE 21




FIGURE 22






FIGURE 23




FIGURE 24




FIGURE 25




FIGURE 26




FIGURE 27




FIGURE 28




FIGURE 29




FIGURE 30






FIGURE 31




FIGURE 32




FIGURE 33




FIGURE 34




FIGURE 35




FIGURE 36




FIGURE 37




FIGURE 38






FIGURE 39




FIGURE 40




FIGURE 41




FIGURE 42




FIGURE 43




FIGURE 44