



US00D745420S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D745,420 S**

(45) **Date of Patent:** **** Dec. 15, 2015**

(54) **TEMPERATURE CONTROLLER**

(71) Applicant: **HaiLin Energy Technology Inc.,**
Beijing (CN)

(72) Inventor: **Haiqing Li, Beijing (CN)**

(73) Assignee: **HaiLin Energy Technology Inc.,**
Beijing (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/517,630**

(22) Filed: **Feb. 13, 2015**

(30) **Foreign Application Priority Data**

Jan. 14, 2015 (CN) 2015 3 0010854

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/50**

(58) **Field of Classification Search**

USPC D10/49-50; D9/414, 432, 433;
D13/162, 163; D14/126, 336, 371,
D14/374, 389

CPC F23N 5/20; F23N 5/203; F23N 5/206;
F23N 5/18; F23N 5/184; F23N 5/187; F23N
5/22; F23N 2025/12; F23N 2041/02; F24F
11/00; F24F 11/0012; F24F 11/0009; F24F
11/001; F24F 2011/0057; F24F 2011/0073;
F24F 2011/0091

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D261,234 S * 10/1981 Abraham D9/432
D387,982 S * 12/1997 Kaplan D9/423
D568,257 S * 5/2008 Tatsuyama et al. D13/162
D601,353 S * 10/2009 Sadler et al. D6/308
D622,513 S * 8/2010 Tang et al. D6/308
D630,169 S * 1/2011 Nakai et al. D13/168
7,867,646 B2 * 1/2011 Rhodes 429/100

D640,992 S * 7/2011 Margolin et al. D13/162
D648,642 S * 11/2011 Wallaert et al. D10/50
D649,073 S * 11/2011 Baskinger et al. D10/60
D662,094 S * 6/2012 Mack et al. D14/388
D678,218 S * 3/2013 Sheen D13/168
D687,388 S * 8/2013 Baumgartner et al. D13/162
D690,295 S * 9/2013 Fletcher et al. D14/336
D694,718 S * 12/2013 Baumgartner et al. D13/168
D695,410 S * 12/2013 Becker D24/186
D696,636 S * 12/2013 Sakai D13/168
D699,130 S * 2/2014 Rhodes et al. D10/50
8,644,009 B2 * 2/2014 Rylski et al. 361/679.01
D705,093 S * 5/2014 Edgar D10/50
D711,837 S * 8/2014 Clymer et al. D13/162
D719,854 S * 12/2014 Edgar D10/50

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Wolf, Greenfield & Sacks,
P.C.

(57) **CLAIM**


The ornamental design for a temperature controller, as shown
and described.

DESCRIPTION

FIG. 1 is a front view of a temperature controller according to
the present application;
FIG. 2 is a rear view of the temperature controller according
to the present application;
FIG. 3 is a left view of the temperature controller according to
the present application;
FIG. 4 is a right view of the temperature controller according
to the present application;
FIG. 5 is a top view of the temperature controller according to
the present application;
FIG. 6 is a bottom view of the temperature controller accord-
ing to the present application; and,
FIG. 7 is a perspective view of the temperature controller
according to the present application.

The broken lines shown in FIGS. 2-6 represent unclaimed
portions of the temperature controller and form no part of the
claimed design.

1 Claim, 4 Drawing Sheets



US D745,420 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D719,855 S * 12/2014 Edgar D10/50
8,922,493 B2 * 12/2014 Kim 345/169

D724,035 S * 3/2015 Flowers et al. D13/162
D727,271 S * 4/2015 Shi et al. D13/162
D727,857 S * 4/2015 Acera et al. D13/162

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7