



US00D745452S

(12) **United States Design Patent**  
**Mukai**

(10) **Patent No.:** **US D745,452 S**  
(45) **Date of Patent:** **\*\* Dec. 15, 2015**

(54) **TIRE FOR AUTOMOBILE**  
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**  
(72) Inventor: **Tomoyuki Mukai, Osaka (JP)**  
(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/490,075**  
(22) Filed: **May 6, 2014**

(30) **Foreign Application Priority Data**  
Nov. 6, 2013 (JP) ..... 2013-025951

(51) **LOC (10) Cl.** ..... **12-15**  
(52) **U.S. Cl.**  
USPC ..... **D12/550; D12/559; D12/565**

(58) **Field of Classification Search**  
USPC ..... D12/533-567; 152/209.1, 209.8, 152/209.18, 209.25, 209.28  
CPC .. B60C 11/0302; B60C 11/03; B60C 11/042; B60C 11/12; B60C 2011/0374  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D397,975 S	9/1998	Himuro .....	D12/147
D414,728 S	10/1999	Gerresheim et al. ....	D12/147
D422,247 S	4/2000	Gerresheim et al. ....	D12/147
D423,424 S	4/2000	Ikeda .....	D12/147
D429,194 S *	8/2000	Heinen et al. ....	D12/566
D437,808 S	2/2001	Gerresheim et al. ....	D12/147
D442,524 S	5/2001	Gerresheim et al. ....	D12/147
D470,102 S	2/2003	Shirouzu .....	D12/585
D472,514 S *	4/2003	Himuro .....	D12/550
D481,991 S	11/2003	Graas et al. ....	D12/585
D500,009 S	12/2004	Okubo .....	D12/586

D509,787 S	9/2005	Okubo .....	D12/584
D513,402 S	1/2006	Shirouzu .....	D12/590
D524,240 S	7/2006	Ochi .....	D12/550
D525,191 S	7/2006	Okubo .....	D12/550
D535,938 S *	1/2007	Dumigan et al. ....	D12/582
D559,774 S	1/2008	Kurata .....	D12/585
D562,219 S	2/2008	Oh .....	D12/550
D578,471 S	10/2008	Guspodin et al. ....	D12/585
D579,866 S	11/2008	Ohkubo .....	D12/586
D582,840 S	12/2008	Bombardier et al. ....	D12/550
D586,729 S	2/2009	Mukai .....	D12/550
D596,557 S	7/2009	Park et al. ....	D12/549
D610,970 S	3/2010	You .....	D12/590
D612,324 S	3/2010	Harvey et al. ....	D12/551
D613,237 S	4/2010	Mukai .....	D12/585
D613,240 S	4/2010	Mukai .....	D12/590
D614,565 S	4/2010	Bombardier et al. ....	D12/550
D641,306 S	7/2011	Graas et al. ....	D12/551
D645,393 S	9/2011	Kiwaki .....	D12/549
D645,808 S	9/2011	Takemoto .....	D12/585
D646,627 S	10/2011	Takemoto .....	D12/588
D718,225 S *	11/2014	Yasunaga .....	D12/565
D720,683 S *	1/2015	Boore et al. ....	D12/563
2007/0215258 A1 *	9/2007	Fukunaga .....	152/209.18

\* cited by examiner

*Primary Examiner* — George D Kirschbaum  
*Assistant Examiner* — Jennifer Watkins  
(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**  
The ornamental design for a tire for automobile, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire for automobile showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof; and,  
FIG. 4 is an enlarged fragmentary front elevational view thereof.

**1 Claim, 4 Drawing Sheets**





FIG - 1



FIG - 2




FIG - 3



FIG - 4