



US00D745668S

(12) **United States Design Patent**
Shiraishi et al.

(10) **Patent No.:** **US D745,668 S**

(45) **Date of Patent:** **** Dec. 15, 2015**

- (54) **SYRINGE CAP**
- (71) Applicant: **TAISEI KAKO CO., LTD.**, Osaka (JP)
- (72) Inventors: **Yasuyuki Shiraishi**, Osaka (JP); **Taiji Horita**, Osaka (JP); **Ippei Matsumoto**, Osaka (JP); **Kensuke Taniguchi**, Osaka (JP)
- (73) Assignee: **TAISEI KAKO CO., LTD.**, Osaka (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/466,946**
- (22) Filed: **Sep. 13, 2013**

- (30) **Foreign Application Priority Data**
Jun. 20, 2013 (JP) 2013-014000
- (51) **LOC (10) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/130**
- (58) **Field of Classification Search**
USPC D24/127-131, 112-114, 133, 186, 104;
606/181, 185; 604/264, 272, 115, 232,
604/187, 158, 164.08, 192, 263, 163, 181,
604/184, 198, 227; 600/101, 139, 143;
128/200.24, 207.14, 207.15
CPC A61M 5/33202; A61M 2005/3109;
Y10S 128/919
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D300,561 S 4/1989 Asa et al.
D323,710 S * 2/1992 Kasai et al. D24/130
5,250,037 A 10/1993 Bitdinger
D452,311 S 12/2001 Guala
D457,954 S 5/2002 Wallace et al.
D460,178 S 7/2002 Courteix
D460,183 S * 7/2002 Wilkinson et al. D24/130
D461,244 S 8/2002 Niermann

- D461,245 S * 8/2002 Niermann D24/130
- D461,557 S 8/2002 Courteix
- D469,178 S 1/2003 Courteix
- 6,551,286 B1 4/2003 Claessens
- D475,924 S * 6/2003 Haffner D9/453
- D522,319 S * 6/2006 Palder D7/602
- D561,587 S * 2/2008 Lin D9/453
- D565,732 S * 4/2008 Pech et al. D24/130
- D581,046 S * 11/2008 Sudo D24/130
- D581,049 S 11/2008 Sudo
- D612,493 S 3/2010 Claessens et al.
- D638,294 S * 5/2011 Heidel et al. D9/452
- D651,709 S * 1/2012 Zeyfang D24/127
- D655,001 S * 2/2012 Becker et al. D24/130
- D676,552 S 2/2013 McLoughlin et al.
- D688,796 S 8/2013 Niunoya et al.
- D713,029 S * 9/2014 Shiraishi et al. D24/130
- D717,430 S * 11/2014 Shiraishi et al. D24/130

* cited by examiner

Primary Examiner — David Muller

Assistant Examiner — Nathan Johnston

(74) *Attorney, Agent, or Firm* — Dennis R. Haszko


(57) **CLAIM**

The ornamental design for a syringe cap, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the syringe cap according to the present invention;
 FIG. 2 is a front elevation view thereof, the rear elevation view being identical;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a right side elevation view thereof, the left side elevation view being identical;
 FIG. 6 is an enlarged sectional view taken along line 6-6 of FIG. 2; and,
 FIG. 7 is a reference view thereof showing the actual use thereof.
 The portions shown in evenly spaced broken lines do not form part of the design.

1 Claim, 4 Drawing Sheets






FIG. 1





FIG. 2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG.7