



US00D745696S

(12) **United States Design Patent**  
**Goto**

(10) **Patent No.:** **US D745,696 S**

(45) **Date of Patent:** **\*\* Dec. 15, 2015**

(54) **VIBRATION DEVICE**

(71) Applicant: **GOTO DENSHI CO., LTD.**, Sagae-shi,  
Yamagata (JP)

(72) Inventor: **Yoshihide Goto**, Sagae (JP)

(73) Assignee: **GOTO DENSHI CO., LTD.**, Sagae-Shi  
(JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/489,395**

(22) Filed: **Apr. 29, 2014**

(51) **LOC (10) Cl.** ..... **28-03**

(52) **U.S. Cl.**  
USPC ..... **D24/214**

(58) **Field of Classification Search**  
USPC ..... D24/200, 211, 212, 213, 214, 215;  
601/19, 27-32, 46, 49, 52, DIG. 12,  
601/DIG. 14, DIG. 15, DIG. 16, DIG. 17;  
D21/685  
CPC ..... A61H 19/30; A61H 19/32; A61H 19/34;  
A61H 19/40; A61H 19/44; A61H 19/50;  
A61H 19/00; A61H 2201/0153; A61H  
2201/0207; A61H 2201/0263; A61H  
2201/0111; A61H 2201/1253; A61H  
2205/082; A61H 2205/085; A61H 15/0085  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,985,166 A \* 5/1961 Burkardt ..... 601/18  
D214,111 S \* 5/1969 Anderson ..... D24/214  
D373,195 S \* 8/1996 Hoff ..... D24/211  
D378,135 S \* 2/1997 Sirois et al. .... D24/215  
D519,641 S \* 4/2006 Lansohn ..... D24/209

D559,394 S \* 1/2008 Ji ..... D24/214  
D569,523 S \* 5/2008 Hsieh ..... D24/206  
D633,627 S \* 3/2011 Kambic ..... D24/215  
D637,306 S \* 5/2011 Feuerabend et al. .... D24/215  
D675,333 S \* 1/2013 Luzon et al. .... D24/215  
D675,334 S \* 1/2013 Luzon et al. .... D24/215  
D677,394 S \* 3/2013 Grust et al. .... D24/215  
D686,742 S \* 7/2013 Luzon et al. .... D24/215  
D696,411 S \* 12/2013 Imboden et al. .... D24/215  
D696,786 S \* 12/2013 Bradford ..... D24/215  
D698,449 S \* 1/2014 Brewer et al. .... D24/211  
D698,932 S \* 2/2014 Brewer et al. .... D24/211

\* cited by examiner

*Primary Examiner* — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Masuvalley & Partners

(57) **CLAIM**

The ornamental design for a vibration device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a vibration device according to the invention;  
FIG. 2 is a front elevation view of the vibration device of FIG. 1;  
FIG. 3 is a rear elevation view of the vibration device of FIG. 1;  
FIG. 4 is a left side elevation view of the vibration device of FIG. 1;  
FIG. 5 is a right side elevation view of the vibration device of FIG. 1;  
FIG. 6 is a top plan view of the vibration device of FIG. 1; and,  
FIG. 7 is a bottom plan view of the vibration device of FIG. 1.  
The broken line disclosure, as well as line shading in parts of the drawings are included for the purpose of illustrating use and environment and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

