



US00D745696S

(12) **United States Design Patent**
Goto

(10) **Patent No.:** **US D745,696 S**
(45) **Date of Patent:** **** Dec. 15, 2015**

(54) **VIBRATION DEVICE**

(71) Applicant: **GOTO DENSHI CO., LTD.**, Sagae-shi,
Yamagata (JP)

(72) Inventor: **Yoshihide Goto**, Sagae (JP)

(73) Assignee: **GOTO DENSHI CO., LTD.**, Sagae-Shi
(JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/489,395**

(22) Filed: **Apr. 29, 2014**

(51) **LOC (10) Cl.** **28-03**

(52) **U.S. Cl.**
USPC **D24/214**

(58) **Field of Classification Search**
USPC D24/200, 211, 212, 213, 214, 215;
601/19, 27-32, 46, 49, 52, DIG. 12,
601/DIG. 14, DIG. 15, DIG. 16, DIG. 17;
D21/685
CPC A61H 19/30; A61H 19/32; A61H 19/34;
A61H 19/40; A61H 19/44; A61H 19/50;
A61H 19/00; A61H 2201/0153; A61H
2201/0207; A61H 2201/0263; A61H
2201/0111; A61H 2201/1253; A61H
2205/082; A61H 2205/085; A61H 15/0085
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,985,166	A	*	5/1961	Burkardt	601/18
D214,111	S	*	5/1969	Anderson	D24/214
D373,195	S	*	8/1996	Hoff	D24/211
D378,135	S	*	2/1997	Sirois et al.	D24/215
D519,641	S	*	4/2006	Lansohn	D24/209

D559,394	S	*	1/2008	Ji	D24/214
D569,523	S	*	5/2008	Hsieh	D24/206
D633,627	S	*	3/2011	Kambic	D24/215
D637,306	S	*	5/2011	Feuerabend et al.	D24/215
D675,333	S	*	1/2013	Luzon et al.	D24/215
D675,334	S	*	1/2013	Luzon et al.	D24/215
D677,394	S	*	3/2013	Grust et al.	D24/215
D686,742	S	*	7/2013	Luzon et al.	D24/215
D696,411	S	*	12/2013	Imboden et al.	D24/215
D696,786	S	*	12/2013	Bradford	D24/215
D698,449	S	*	1/2014	Brewer et al.	D24/211
D698,932	S	*	2/2014	Brewer et al.	D24/211

* cited by examiner

Primary Examiner — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Masuvalley & Partners

(57) **CLAIM**

The ornamental design for a vibration device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vibration device according to the invention;
FIG. 2 is a front elevation view of the vibration device of FIG. 1;
FIG. 3 is a rear elevation view of the vibration device of FIG. 1;
FIG. 4 is a left side elevation view of the vibration device of FIG. 1;
FIG. 5 is a right side elevation view of the vibration device of FIG. 1;
FIG. 6 is a top plan view of the vibration device of FIG. 1; and,
FIG. 7 is a bottom plan view of the vibration device of FIG. 1.
The broken line disclosure, as well as line shading in parts of the drawings are included for the purpose of illustrating use and environment and form no part of the claimed design.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

