



US00D745743S

(12) **United States Design Patent**
Reukema et al.

(10) **Patent No.:** **US D745,743 S**

(45) **Date of Patent:** **** Dec. 15, 2015**

(54) **CHILD’S ARTICLE SAFETY TETHER**

(71) Applicants: **Brian Christopher Reukema**,
Southlake, TX (US); **Melissa Christine Reukema**, Southlake, TX (US)

(72) Inventors: **Brian Christopher Reukema**,
Southlake, TX (US); **Melissa Christine Reukema**, Southlake, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/511,614**

(22) Filed: **Dec. 12, 2014**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/465,861,
filed on Sep. 2, 2013, now Pat. No. Des. 722,726.

(51) **LOC (10) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/101.1**

(58) **Field of Classification Search**
USPC D29/101.1; 248/102–107, 548;
215/397, 11.6; D3/229, 215; 224/148;
D24/199

CPC A45F 2005/008
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,613,657 A * 3/1997 Olaiz 248/102
D417,778 S * 12/1999 Karlin, III D3/229
6,216,319 B1 * 4/2001 Elkins 24/3.2

D597,788 S * 8/2009 Ellis D7/396.2
D625,512 S * 10/2010 Blaney D3/215
D628,703 S * 12/2010 Rodriguez D24/199
D699,406 S * 2/2014 Stolte D30/153
D700,971 S * 3/2014 Alvarado D24/199
D701,966 S * 4/2014 Owada D24/199
2008/0149672 A1 * 6/2008 Frauhiger 224/148.6
2009/0256038 A1 * 10/2009 Schaefer 248/206.2
2010/0025441 A1 * 2/2010 Blaney 224/148.6

* cited by examiner

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — Jeffrey Roddy

(57) **CLAIM**

The ornamental design for a child’s article safety tether, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of our new design for a child’s article safety tether;


FIG. 2 is a bottom plan view thereof;

FIG. 3 is a bottom perspective view thereof; and,

FIG. 4 is a cross-sectional view thereof taken along lines 4-4 in FIG. 2.

The safety tether is made from an elastomer and deformable. Lines on the body of FIGS. 1-3 indicate contour only and are not intended to show surface ornamentation. The safety tether is a one-piece elastomeric zig-zag shaped body having at one end, a relatively small annulus with a tail extending therefrom, and a larger annulus at the opposite end of the body. The cross-sectional profile of the safety tether as shown in (FIG. 4), is rhombic.

1 Claim, 3 Drawing Sheets







FIG. 1






FIG.4